WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: C12N 5/04, 15/00, 15/09, 15/11, 15/29, 15/63, 15/74, 15/81, 15/82, A01H 5/00

(11) International Publication Number:

WO 00/18886

(43) International Publication Date:

6 April 2000 (06.04.00)

(21) International Application Number:

PCT/US99/22363

(22) International Filing Date:

24 September 1999 (24.09.99)

(30) Priority Data:

60/101,814

25 September 1998 (25.09.98) US

(71) Applicant (for all designated States except US): WISCONSIN ALUMNI RESEARCH FOUNDATION [US/US]; 614 Walnut Street, Madison, WI 53705 (US).

(72) Inventors: and

(75) Inventors/Applicants (for US only): SPALDING, Edgar, P. [US/US]: 7417 South Avenue, Middleton, WI 53562 (US). NOH, Bosl [US/US]; 308E Eagle Heights, Madison, WI 53705 (US).

(74) Agents: KLANN, Ellen, M. et al.; Dann, Dorfman, Herrell and Skillman, Suite 720, 1601 Market Street, Philadelphia, PA 19103 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FL GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: XENOBIOTIC DETOXIFICATION GENE FROM PLANTS

(57) Abstract

A novel plant gene is provided, which is a member of the mdr family of genes encoding ABC transporters. The gene is inducible by NPPB, and is preferentially expressed in roots upon induction. The gene is useful for detoxification of certain xenobiotics to protect plants from the detrimental effects of such compounds. Also provided are plants that over-express and under-express this mdr gene.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spein ·	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Atistria	FR	Prance	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GB	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BR	Belgium	GN	Guinea	MK	The former Yagoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	11	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	ltaly	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Vict Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL.	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DB	Germany	Ц	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

BNSDOCID: <WO_____ 0019888A1_1 >

WO 00/18886 PCT/US99/22363

XENOBIOTIC DETOXIFICATION GENE FROM PLANTS

This application claims priority to U.S. 60/101,814, filed September 25, 1998, the entirety of which is incorporated by reference herein.

Pursuant to 35 U.S.C. §202(c), it is acknowledged that the U.S. Government has certain rights in the invention described herein, which was made in part with funds from the National Science Foundation, Grant No. IBN-9416016.

10

15

25

30

FIELD OF THE INVENTION

This invention relates to the field of stress resistance in plants. In particular, the invention provides a novel gene from plants, which encodes an MDR-like ABC transporter, involved in detoxification of certain xenobiotics to protect plants from their detrimental effects.

BACKGROUND OF THE INVENTION

Several publications are referenced in this application to describe the state of the art to which the invention pertains. Each of these publications is incorporated by reference herein.

Environmental stress is one of the most important limitations on plant productivity, growth and survival. An ever-increasing source of environmental stress to plants is the stress caused by environmental pollutants in the soil, water and atmosphere. Such pollutants include herbicides, pesticides and related agronomic products, as well as organic and inorganic waste material from industry and other sources. Other toxic agents that threaten the survival of plants include various toxins produced by ephiphytic or soilborne

15

20

25

microorganisms, such as fungi and bacteria.

In order to survive in toxic environments, plants must have mechanisms to detoxify xenobiotics, heavy metals and other toxic compounds. This generally involves modification of the toxic compound and subsequent excretion into the vacuole or apoplastic space. Recently, certain ATP-binding cassette (ABC) transporters have been identified in plants, which appear to be involved in the detoxification process.

The ABC transporter family is very large, with representatives existing in many different classes of organisms. Two well studied groups of ABC transporters, encoded by mdr and mrp genes, respectively, are associated with the multi-drug resistance phenomenon observed in mammalian tumor cells. The mdr genes encode a family of P-glycoproteins that mediate the energy-dependent efflux of certain lipophilic drugs from cells. The mrp genes encode a family of transporters that mediate the extrusion of a variety of organic compounds after their conjugation with glutathione. YCF1, the yeast homolog of mrp, encodes a protein capable of glutathione-mediated detoxification of heavy metals.

Homologs of mrp and mdr genes have been identified in plant species. In Arabidopsis thaliana, the glutathione-conjugate transporter encoded by the mrp homolog is located in the vacuolar membrane and is responsible for sequestration of xenobiotics in the central vacuole (Tommasini et al., FEBS Lett. 411: 206-210, 1997; Li et al., Plant Physiol. 107: 1257-1268, 1995). An mdr-like gene (atpgp1) has also been identified in A. thaliana, which encodes a putative P-glycoprotein homolog. The atpgp1 gene was found to share significant sequence homology and structural organization with human mdr genes, and was expressed with particular

10

15

20

25

30

abundance in inflorescence axes (Dudler & Hertig, J. Biol. Chem. <u>267</u>: 5882-5888, 1992). Other MDR homologs have been found in potato (Wang et al., Plant Mol. Biol. <u>31</u>: 683, 1996) and barley (Davies et al., Gene <u>199</u>: 195, 1997).

The aforementioned mrp and mdr plant homologs were identified as a result of an effort to understand the molecular basis for development in plants of cross-resistance to herbicides of unrelated classes. However, these transporters are likely to serve the more general role in plants of sequestering, secreting, or otherwise detoxifying various organic and inorganic xenobiotics. Accordingly, it will constitute an advance in the art of plant genetic engineering of stress tolerance to identify and characterize other members of this class of transporters in plants.

SUMMARY OF THE INVENTION

In accordance with the present invention, a new plant mdr homolog has been identified. Unlike the previously identified plant mdr homologs, this new gene is inducible by a class of compounds known to inhibit chloride ion channels.

According to one aspect of the invention, a nucleic acid isolated from a plant is provided, which encodes a p-glycoprotein that is inducible by exposure of the plant to NPPB. The isolated nucleic acid is preferentially expressed in plant roots upon exposure of the plant to NPPB. In a preferred embodiment, the plant from which the nucleic acid is isolated is selected from the group consisting of Brassica napus and Arabidopsis thaliana and is 3850-4150 nucleotides in length. In a more preferred embodiment, the nucleic acid has the restriction sites shown in Figure 4 for at least three

BNSDOCID: <WO_____0018886A1_1_1_x

10

15

20

25

30

restriction enzymes. In particularly preferred embodiments, the nucleic acid molecule encodes a polypeptide having SEQ ID NO:2. In an exemplary embodiment, the nucleic acid is a cDNA comprising the coding region of SEQ ID NO:1 or SEQ ID NO:10.

According to another aspect of the invention is an expression cassette that comprises a plPAC gene operably linked to a promoter, and in a more preferred embodiment the plPAC gene is from Arabidopsis. In preferred embodiments, the expression cassette comprises the cauliflower mosaic virus 35S promoter, and part of all of SEQ ID NO:1 or SEQ ID NO:10. Further included in this aspect is a vector comprising the expression cassette and a method for producing transgenic plants with the expression cassette and vector.

Another aspect of the invention are transgenic cells and plants containing the nucleic acids of the invention. In one preferred embodiment, the nucleic acids are be in the aforementioned expression cassette. Further included in this aspect are reporductive units from the transgenic plant.

According to another aspect of the invention, an isolated nucleic acid molecule is provided, which has a sequence selected from the group consisting of: a) SEQ ID NO:1 and SEQ ID NO:10; b) a nucleic acid sequence that is at least about 60% homologous to the coding regions of SEQ ID NO:1 or SEQ ID NO:10; c) a sequence hybridizing with SEQ ID NO:1 or SEQ ID NO:10 at moderate stringency; d) a sequence encoding part or all of a polypeptide having SEQ ID NO:2; e) a sequence encoding an amino acid sequence that is at least about 70% identical to SEQ ID NO:2; f) a sequence encoding an amino acid sequence that is at least about 80% similar to SEQ ID NO:2; g) a sequence encoding an amino acid sequence that

is at least about 40% similar to residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2; and h) a sequence hybridizing at moderate stringency to a sequence encoding residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2. A polypeptide produced by expression of the above listed sequences is also provided.

According to another aspect of the invention, an isolated plant p-glycoprotein, which is inducible upon exposure of the plant to NPPB, is provided. polypeptide preferably confers upon a cell in which it is found resistance to Rhodamine 6G. The polypeptide is preferentially produced in roots upon the exposure to the NPPB. The polypeptide is preferrably from Brassica napus or Arabidopsis thaliana. In most preferred embodiments, the polypeptide has a sequence that is a) an amino acid sequence that is at least 80% similar to SEQ ID NO:2; b) an amino acid sequence that is at least 70% identical to SEO ID NO:2; c) an amino acid sequence that is at least 40% similar to residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2; and d) an amino acid sequence encoded by a nucleic acid sequence hybridizing at moderate stringency to a amino acid sequence encoding residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2.

According to other aspects of the invention, antibodies immunologically specific for the polypeptides of the invention are provided, that immunologically specific to any of the polypeptides, of polypeptide encoded by the nucleic acids of the invention. In a preferred embodiment, the antibody is immunospecific to residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2.

According to another aspect of the invention, a plant p-glycoprotein gene promoter, which is inducible by NPPB, is also provided. In a preferred embodiment, the promoter is part or all of residues 1-3429 of SEQ ID

BNSDOCID: <WO_____ 0018886A1_L >

5

10

15

20

25

NO:10.

5

According to another aspect of the invention, plants that have reduces levels of plPAC protein are provided. In a preferred embodiment, these plants have mutations in the plPAC gene, and in a particularly preferred embodiment, the plPAC gene is mutated due to the insertion of a T-DNA. Also provided with this aspect is a method for selecting plants with mutations in plPAC using SEQ ID NOS:11-14 as PCR primers.

These and other features and advantages of the present invention will be described in greater detail in the description and examples set forth below.

BRIEF DESCRIPTION OF THE DRAWINGS

15 Figure 1. Amino acid sequence lineup of ATPAC deduced amino acid sequence and the amino acid sequences of related mammalian and plant genes. The lineup shows the ATPAC deduced amino acid sequence (SEQ ID NO:2) compared with (1) hmdr1 (SEQ ID NO:3); (2) mmdr1 (SEQ ID NO: 4); (3) hmdr3 (SEQ ID NO:5); (4) mmdr2 (SEQ ID NO:6); (5) atpgp1 (SEQ ID NO:7); and (6) atpgp2 (SEQ ID NO:8). A consensus sequence (SEQ ID NO: 9) is also shown.

Figure 2. Graph depicting the effect of rhodamine 6G on the growth rate of cells transformed with and expressing ATPAC as compared with control cells not containing ATPAC.

Figure 3. Restriction map of genomic clone of ATPAC, SEQ ID NO:10.

Figure 4. Restriction map of cDNA clone of 30 ATPAC, SEQ ID NO:1.

DETAILED DESCRIPTION OF THE INVENTION

I. Definitions

Various terms relating to the biological

10

20

25

30

molecules of the present invention are used hereinabove and also throughout the specification and claims.

With reference to nucleic acids of the invention, the term "isolated nucleic acid" is sometimes used. This term, when applied to DNA, refers to a DNA molecule that is separated from sequences with which it is immediately contiguous (in the 5' and 3' directions) in the naturally occurring genome of the organism from which it was derived. For example, the "isolated nucleic acid" may comprise a DNA molecule inserted into a vector, such as a plasmid or virus vector, or integrated into the genomic DNA of a procaryote or eucaryote. An "isolated nucleic acid molecule" may also comprise a cDNA molecule.

With respect to RNA molecules of the invention 15 the term "isolated nucleic acid" primarily refers to an RNA molecule encoded by an isolated DNA molecule as defined above. Alternatively, the term may refer to an RNA molecule that has been sufficiently separated from RNA molecules with which it would be associated in its natural state (i.e., in cells or tissues), such that it exists in a "substantially pure" form (the term "substantially pure" is defined below).

Nucleic acid sequences and amino acid sequences can be compared using computer programs that align the similar sequences of the nucleic or amino acids thus define the differences. For purposes of this invention, the DNAStar program (DNAStar, Inc., Madison, Wisconsin) and the default parameters used by that program are the parameters intended to be used herein to compare sequence identity and similarity. Alternately, the Blastn and Blastp 2.0 programs provided by the National Center for Biotechnology Information (at http://www.ncbi.nlm.nih.gov/blast/; Altschul et al., 1990, J Mol Biol 215:403-410) using a gapped alignment

BINSDOCID: <WO_

with default parameters, may be used to determine the level of identity and similarity between nucleic acid sequences and amino acid sequences.

The term "substantially the same" refers to nucleic acid or amino acid sequences having sequence variation that do not materially affect the nature of the protein (i.e. the structure, thermostability characteristics and/or biological activity of the protein). With particular reference to nucleic acid sequences, the term "substantially the same" is intended to refer to the coding region and to conserved sequences governing expression, and refers primarily to degenerate codons encoding the same amino acid, or alternate codons encoding conservative substitute amino acids in the encoded polypeptide. With reference to amino acid sequences, the term "substantially the same" refers generally to conservative substitutions and/or variations in regions of the polypeptide not involved in determination of structure or function.

The terms "percent identical" and "percent similar" are also used herein in comparisons among amino acid and nucleic acid sequences. When referring to amino acid sequences, "percent identical" refers to the percent of the amino acids of the subject amino acid sequence that have been matched to identical amino acids in the compared amino acid sequence by a sequence analysis program. "Percent similar" refers to the percent of the amino acids of the subject amino acid sequence that have been matched to identical or conserved amino acids. Conserved amino acids are those which differ in structure but are similar in physical properties such that the exchange of one for another would not appreciably change the tertiary structure of the resulting protein. Conservative substitutions are defined in Taylor (1986,

5

10

15

20

25

PCT/US99/22363

5

10

15

20

25

30

J. Theor. Biol. 119:205). When referring to nucleic acid molecules, "percent identical" refers to the percent of the nucleotides of the subject nucleic acid sequence that have been matched to identical nucleotides by a sequence analysis program.

With respect to protein, the term "isolated protein" or "isolated and purified protein" is sometimes used herein. This term refers primarily to a protein produced by expression of an isolated nucleic acid molecule of the invention. Alternatively, this term may refer to a protein which has been sufficiently separated from other proteins with which it would naturally be associated, so as to exist in "substantially pure" form.

The term "substantially pure" refers to a preparation comprising at least 50-60% by weight the compound of interest (e.g., nucleic acid, oligonucleotide, protein, etc.). More preferably, the preparation comprises at least 75% by weight, and most preferably 90-99% by weight, the compound of interest. Purity is measured by methods appropriate for the compound of interest (e.g. chromatographic methods, agarose or polyacrylamide gel electrophoresis, HPLC analysis, and the like).

With respect to antibodies of the invention, the term "immunologically specific" refers to antibodies that bind to one or more epitopes of a protein of interest, but which do not substantially recognize and bind other molecules in a sample containing a mixed population of antigenic biological molecules.

With respect to oligonucleotides, the term "specifically hybridizing" refers to the association between two single-stranded nucleotide molecules of sufficiently complementary sequence to permit such hybridization under pre-determined conditions generally

BNSDOCID: <WO_ 0018886A1 | >

State of the state of the

PROBLEM CONTRACTOR

5

10

20

25

30

used in the art (sometimes termed "substantially complementary"). In particular, the term refers to hybridization of an oligonucleotide with a substantially complementary sequence contained within a single-stranded DNA or RNA molecule of the invention, to the substantial exclusion of hybridization of the oligonucleotide with single-stranded nucleic acids of non-complementary sequence.

The term "expression cassette", as used herein, comprises 5' and 3' regulatory regions operably linked to a coding sequence. The coding sequence may be in the sense or antisense orientation with respect to the 5' regulatory region.

The term "promoter region" refers to the 5' regulatory regions of a gene.

The term "reporter gene" refers to genetic sequences which may be operably linked to a promoter region forming a transgene, such that expression of the reporter gene coding region is regulated by the promoter and expression of the transgene is readily assayed.

The term "selectable marker gene" refers to a gene product that when expressed confers a selectable phenotype, such as antibiotic resistance, on a transformed cell or plant.

The term "operably linked" means that the regulatory sequences necessary for expression of the coding sequence are placed in the DNA molecule in the appropriate positions relative to the coding sequence so as to effect expression of the coding sequence. This same definition is sometimes applied to the arrangement of coding sequences and transcription control elements (e.g. promoters, enhancers, and termination elements) in an expression vector.

The term "DNA construct" refers to genetic

sequence used to transform plants and generate progeny transgenic plants. These constructs may be administered to plants in a viral or plasmid vector. Other methods of delivery such as Agrobacterium T-DNA mediated transformation and transformation using the biolistic process are also contemplated to be within the scope of the present invention. The transforming DNA may be prepared according to standard protocols such as those set forth in "Current Protocols in Molecular Biology", eds. Frederick M. Ausubel et al., John Wiley & Sons, 1995.

The term 'xenobiotic" refers to foreign chemicals or agents not produced or naturally found in the organism. The term is commonly used in reference to toxic or otherwise detrimental foreign chemicals, such as organic pollutants or heavy metals.

II. Description of plPAC and its Encoded Polyeptide

20

25

30

35

15

5

10

In accordance with the present invention, a nucleic acid encoding a novel ATP-binding-cassette (ABC) transporter has been isolated and cloned from plants. The nucleic acid is referred to herein as plPAC.

A cDNA clone of the plPAC from Arabidopsis thaliana, an exemplary plPAC of the invention, is described in detail herein and its nucleotide sequence is set forth in Example 1 as SEQ ID NO:1. This nucleic acid molecule is referred to as "ATPAC". It is 36% identical and 51% similar to human mdr1 across the entire sequence. It is 51% identical to the atpgp1 gene reported by Dudler & Hertig (1997, supra) and 50% identical to atpgp2, a close homolog of atpgp1, published in the Genbank database. ATPAC protein is 65% similar to atpgp1 and atpgp2 proteins.

A partial clone of a plPAC of the invention was originally isolated from Brassica napus via differential expression screening of plants grown in the presence or absence of the chloride channel blocker, 5-nitro-2-(3-phenylpropylamino) benzoic acid (NPPB). A 0.5 kb gene fragment was identified, which had been up-regulated in response to NPPB treatment. This cDNA fragment was used to screen an Arabidopsis cDNA library, from which the complete ATPAC clone was isolated. The isolation and characterization of ATPAC is described in Example 1.

A genomic clone of ATPAC (SEQ ID NO:10) has also been isolated from a bacterial artificial chromosome (BAC) library of the Arabidopsis genome (BAC clone IGF F3J22, obtained from the Arabidopsis stock center, Ohio State University). A 7 kb fragment containing part of ATPAC and additional 5' regulatory sequences was subcloned into a plasmid vector (pBluescript). A restriction map of ATPAC is found in Fig. 3. The corresponding cDNA clone of ATPAC is found in SEQ ID NO:1 and its restriction map is Fig. 4.

Among the unique features of this nucleic acid molecule as compared with other mdr-like genes from plants are its inducibility by certain compounds, including NPPB and herbicides, and its preferential expression in roots. The promoter regulatory region of ATPAC comprises residues 1-3429 of SEQ ID NO:10.

Although the ATPAC cDNA clone from Arabidopsis thaliana is described and exemplified herein, this invention is intended to encompass nucleic acid sequences and proteins from other plant species that are sufficiently similar to be used instead of ATPAC nucleic acid and proteins for the purposes described below. These include, but are not limited to, allelic variants and natural mutants of SEQ ID NO:1, which are likely to

BNSDOCID: <WO____0018888A1_I_>

10

15

20

25

10

15

20

25

30

be found in different species of plants or varieties of Arabidopsis.

Because such variants are expected to possess certain differences in nucleotide and amino acid sequence, this invention provides an isolated plPAC nucleic acid molecule having at least about 60% (preferably 70% and more preferably over 80%) sequence homology in the coding regions with the nucleotide sequence set forth as SEQ ID NO:1 or SEQ ID NO:10 (and, most preferably, specifically comprising the coding region of SEQ ID NO:1). Also provided are nucleic acids that encode a polypeptide that is at least about 40% (preferably 50% and most preferably 60%) similar to residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2. Also provided are nucleic acids that hybridize to the nucleic acids of SEQ ID NO:1, SEQ ID NO:10, or nucleic acids encoding the regions of residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2, preferably under moderate stringency (more preferably, high stringency, and most preferably, very high stringency).

In other preferred embodiments, the nucleic acids have a restriction digest map that is identical for at least 3 enzymes (more preferably 6 enzymes and most preferably 9 enzymes) to the maps shown in Figs. 3 or 4. In another preferred embodiment, the nucleic acids have a restriction digest map identical to those shown in Fig. 3 for enzymes XhoI, XcmI and SpeI (preferably additionally SacI, PacI and BsaI, and most preferably additionally AcII, BanI and SnaBI). In another preferred embodiment, the nucleic acids have a restriction digest map identical to those shown in Fig. 4 for enzymes XbaI, TatI and NciI (preferably additionally DraI, BsmI and BcII, and most preferably additionally DraI, BsmI and BcII, and most preferably additionally AccI, BsgI and TliI). The nucleic acids of the invention are at least 20 nucleic

BNSDOCID: <WO____0018886A1_l >

and the later of the

10

15

20

25

30

acids in length (preferably at least 50 nucleic acids and most preferably at least 100 nucleic acids).

In accordance with the invention, novel plPAC genes from two plant species, Brassica napus and Arabidopsis thaliana, are presented. This constitutes the first description of this unique p-glycoprotein in Indeed, the closest known protein sequence, also. from Arabidopsis, is only 65% identical suggesting that the ATPAC gene is novel and is expected to have novel properties. The isolation of two plPAC genes from different species enables the isolation of further plPAC genes from other plant species. Isolated nucleic acids that are plPAC genes from any plant species are considered part of the instant invention. In particular, the nucleic acids of other plPAC genes can be isolated using sequences of ATPAC that distinguish plPAC genes from other plant mdr genes according to methods that are well known to those in the art of gene isolation. particular, sequences that encode residues 1-76, 613-669 and 1144-1161 of SEQ ID NO:2 can be used. In a preferred embodiment, the plPAC gene is from any higher plant species (more preferred from a dicot species, and most preferred from a species in Brassicaceae (or Cruciferae)).

This invention also provides isolated polypeptide products of the open reading frames of SEQ ID NO:1 or SEQ ID NO:10, having at least about 70% (preferably 80% and most preferably 90%) sequence identity, or at least about 80% similarity (preferably 90% and more preferably 95%) with the amino acid sequence of SEQ ID NO:2. In another embodiment, the polypeptides of the invention are at least about 40% identical (preferably 50%, and most preferably 60%) to the regions of residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2.

BNSDOCID: <WO_____0018886A1_1_3

15

20

25

30 -

Because of the natural sequence variation likely to exist among plPAC genes, one skilled in the art would expect to find up to about 30-40% nucleotide sequence variation, while still maintaining the unique properties of the plPAC gene and encoded polypeptide of the present invention. Such an expectation is due in part to the degeneracy of the genetic code, as well as to the known evolutionary success of conservative amino acid sequence variations, which do not appreciably alter the nature of the encoded protein. Accordingly, such variants are considered substantially the same as one another and are included within the scope of the present invention.

Also provided are transgenic plants transformed with part or all of the nucleic acids of the invention. Transgenic plants that over-express a plPAC coding sequence are one embodiment of this aspect of the invention. Example 3 provides for one prototype of such a plant. In a preferred embodiment, the ATPAC gene is used, and in a most preferred embodiment SEQ ID NO:1 or SEQ ID NO:10 is used. The plPAC gene may be placed under a powerful constitutive promoter, such as the Cauliflower Mosaic Virus (CaMV) 35S promoter or the figwort mosaic virus 35S promoter. In a preferred embodiment, the 35SCaMV promoter is used. Transgenic plants expressing the pIPAC gene under an inducible promoter (either its own promoter or a heterologous promoter) are also contemplated to be within the scope of the present invention. Inducible plant promoters include the tetracycline repressor/operator controlled promoter. a preferred embodiment, a native plPAC promoter is used, and in a most preferred embodiment, residues 1-3429 of SEQ ID NO:10 is used. Plant species that are contemplated for overexpression of a plPAC coding sequence include, but are not limited to, soybean.

In another embodiment, overexpression of *plPAC* is induced to generate a co-suppression effect. This excess expression serves to promote down-regulation of both endogenous and exogenous *plPAC* genes.

In some instances, it may be desirable to downregulate or inhibit expression of endogenous plPAC in plants possessing the gene. Accordingly, plPAC nucleic acid molecules, or fragments thereof, may also be utilized to control the production of plPAC-encoded P-In one embodiment, full-length plPAC glycoproteins. antisense molecules or antisense oligonucleotides, targeted to specific regions of plPAC-encoded RNA that are critical for translation, are used. The use of antisense molecules to decrease expression levels of a pre-determined gene is known in the art. In a preferred embodiment, antisense molecules are provided in situ by transforming plant cells with a DNA construct which, upon transcription, produces the antisense sequences. constructs can be designed to produce full-length or partial antisense sequences. One example of antisense plPAC transgenic plants is given in Example 3.

In another embodiment, knock-out plants are obtained by screening a T-DNA mutagenized plant population for insertions in the plPAC gene (see Krysan et al., 1996, PNAS 93:8145). One example of this embodiment of the invention is found in Example 3. Optionally, transgenic plants can be created containing mutations in the region encoding the active site of plPAC. These last two embodiments are preferred over the use of anti-sense constructs due to the high homology among P-glycoproteins.

The promoter of *ATPAC* is also provided in accordance with the invention. This promoter has the useful properties of root expression and inducability by

BNSDOCID: <WO_____0018886A1_1_>

5

10

15

20

25

15

20

25

The prototypic example of this aspect of the NPPB. invention is residues 1-3429 of SEQ ID NO:10. anticipated that plPAC genes from other plant species will likewise exhibit the aforementioned useful properties. As these promoter regions can easily be isolated from the plPAC genes that are provided with the invention, all plant plPAC gene promoters are provided with the invention. The nucleic acids of the invention therefore include a nucleic acid molecule that is at least about 70% identical (preferably 80% and most preferably 90%) to the residues 1-3429 of SEQ ID NO:10. Also provided are nucleic acids that hybridize to the nucleic acid residues 1-3429 of SEQ ID NO:10 preferably under moderate stringency (more preferably, high stringency, and most preferably, very high stringency).

The present invention also provides antibodies capable of immuno-specifically binding to polypeptides of the invention. Polyclonal or monoclonal antibodies directed toward any of the peptides encoded by plPAC may be prepared according to standard methods. Monoclonal antibodies may be prepared according to general methods of Köhler and Milstein, following standard protocols. In a preferred embodiment, antibodies are prepared, which react immuno-specifically with various epitopes of the plPAC-encoded polypeptides. In a preferred embodiment, the antibodies are immunologically specific to the polypeptide of residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2.

The following description sets forth the general procedures involved in practicing the present invention. To the extent that specific materials are mentioned, it is merely for purposes of illustration and is not intended to limit the invention. Unless otherwise specified, general cloning procedures, such as those set

BNSDOCID: <WO____0018896A1_I_>

forth in Sambrook et al., <u>Molecular Cloning</u>, Cold Spring Harbor Laboratory (1989) (hereinafter "Sambrook et al.") or Ausubel et al. (eds) <u>Current Protocols in Molecular Biology</u>, John Wiley & Sons (1997) (hereinafter "Ausubel et al.") are used.

III. Preparation of *PIPAC* Nucleic Acid Molecules, encoded Polypeptides, Antibodies Specific for the <u>Polypeptides and Transgenic Plants</u>

10

15

20

30

35

5

1. Nucleic Acid Molecules

PIPAC nucleic acid molecules of the invention may be prepared by two general methods: (1) they may be synthesized from appropriate nucleotide triphosphates, or (2) they may be isolated from biological sources. Both methods utilize protocols well known in the art.

The availability of nucleotide sequence information, such as the cDNA having SEQ ID NO:1, enables preparation of an isolated nucleic acid molecule of the invention by oligonucleotide synthesis. Synthetic oligonucleotides may be prepared by the phosphoramadite method employed in the Applied Biosystems 38A DNA Synthesizer or similar devices. The resultant construct may be purified according to methods known in the art, such as high performance liquid chromatography (HPLC). Long, double-stranded polynucleotides, such as a DNA molecule of the present invention, must be synthesized in stages, due to the size limitations inherent in current oligonucleotide synthetic methods. Thus, for example, a long double-stranded molecule may be synthesized as several smaller segments of appropriate complementarity. Complementary segments thus produced may be annealed such that each segment possesses appropriate cohesive termini for attachment of an adjacent segment. Adjacent segments may be ligated by annealing cohesive termini in the

e an ing production

SNSDOCID: <WO_____0018886A1_L>

10

presence of DNA ligase to construct an entire long double-stranded molecule. A synthetic DNA molecule so constructed may then be cloned and amplified in an appropriate vector.

PIPAC genes also may be isolated from appropriate biological sources using methods known in the art. In fact, the ATPAC clone was isolated from an Arabidopsis cDNA library using a partial clone obtained from Brassica napus. In alternative embodiments, genomic clones of plPAC may be isolated.

In accordance with the present invention, nucleic acids having the appropriate level sequence homology with part or all the coding regions of SEQ ID NO:1 or SEQ ID NO:10 may be identified by using 15 hybridization and washing conditions of appropriate stringency. For example, hybridizations may be performed, according to the method of Sambrook et al., using a hybridization solution comprising: 5X SSC, 5X Denhardt's reagent, 1.0% SDS, 100 µg/ml denatured, 20 fragmented salmon sperm DNA, 0.05% sodium pyrophosphate and up to 50% formamide. Hybridization is carried out at 37-42°C for at least six hours. Following hybridization, filters are washed as follows: (1) 5 minutes at room temperature in 2X SSC and 1% SDS; (2) 15 minutes at room temperature in 2X SSC and 0.1% SDS; (3) 30 minutes-1 25 hour at 37°C in 2X SSC and 0.1% SDS; (4) 2 hours at 45-55°in 2X SSC and 0.1% SDS, changing the solution every 30 minutes.

One common formula for calculating the stringency conditions required to achieve hybridization between nucleic acid molecules of a specified sequence homology (Sambrook et al., 1989):

 $T_m = 81.5$ °C + 16.6Log [Na+] + 0.41(% G+C) - 0.63 (% formamide) - 600/#bp in duplex

BNSDOCID: <WO____0018896A1_i_>

30

and term

As an illustration of the above formula, using [N+] = [0.368] and 50% formamide, with GC content of 42% and an average probe size of 200 bases, the T_m is 57°C. The T_m of a DNA duplex decreases by 1 - 1.5°C with every 1% decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of 42°C.

The stringency of the hybridization and wash depend primarily on the salt concentration and temperature of the solutions. In general, to maximize 10 the rate of annealing of the probe with its target, the hybridization is usually carried out at salt and temperature conditions that are 20-25°C below the calculated T_m of the of the hybrid. Wash conditions should be as stringent as possible for the degree of 15 identity of the probe for the target. In general, wash conditions are selected to be approximately 12-20°C below the T_m of the hybrid. In regards to the nucleic acids of the current invention, a moderate stringency hybridization is defined as hybridization in 6X SSC, 5X 20 Denhardt's solution, 0.5% SDS and 100 µg/ml denatured salmon sperm DNA at 42°C, and wash in 2X SSC and 0.5% SDS at 55°C for 15 minutes. A high stringency hybridization is defined as hybridization in 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 µg/ml denatured salmon sperm . 25 DNA at 42°C, and wash in 1X SSC and 0.5% SDS at 65°C for 15 minutes. A very high stringency hybridization is defined as hybridization in 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 µg/ml denatured salmon sperm DNA at 42°C, and wash in 0.1X SSC and 0.5% SDS at 65°C 30 for 15 minutes.

Nucleic acids of the present invention may be maintained as DNA in any convenient cloning vector. In a preferred embodiment, clones are maintained in plasmid

BNSDCCID: <WO:____0018888A1_L>

10

15

20

25

30

0018888A1_I_>

cloning/expression vector, such as pGEM-T (Promega Biotech, Madison, WI) or pBluescript (Stratagene, La Jolla, CA), either of which is propagated in a suitable E. coli host cell.

PIPAC nucleic acid molecules of the invention include cDNA, genomic DNA, RNA, and fragments thereof which may be single- or double-stranded. Thus, this invention provides oligonucleotides (sense or antisense strands of DNA or RNA) having sequences capable of hybridizing with at least one sequence of a nucleic acid molecule of the present invention, such as selected segments of SEQ ID NO:1 or SEQ ID NO:10. Such oligonucleotides are useful as probes for detecting plPAC genes or mRNA in test samples, e.g. by PCR amplification, mapping of genes or for the positive or negative regulation of expression of plPAC genes at or before translation of the mRNA into proteins.

The plPAC promoter is also expected to be useful in connection with the present invention, inasmuch as it is inducible in plants upon exposure to anion channel blockers. As mentioned above, seven-kilobase fragment of genomic DNA has been isolated, which contains part or all of the plPAC promoter from Arabidopsis thaliana. This promoter can be used in chimeric gene constructs to facilitate inducible expression of any coding sequence of interest, upon exposure to NPPB or similar-acting compounds.

2. Proteins

Polypeptides encoded by pIPAC nucleic acids of the invention may be prepared in a variety of ways, according to known methods. If produced in situ the polypeptides may be purified from appropriate sources, e.g., plant roots or other plant parts.

Alternatively, the availability of nucleic acid molecules encoding the polypeptides enables production of the proteins using in vitro expression methods known in the art. For example, a cDNA or gene may be cloned into an appropriate in vitro transcription vector, such a pSP64 or pSP65 for in vitro transcription, followed by cell-free translation in a suitable cell-free translation system, such as wheat germ or rabbit reticulocytes. In vitro transcription and translation systems are commercially available, e.g., from Promega Biotech, Madison, Wisconsin or BRL, Rockville, Maryland.

According to a preferred embodiment, larger quantities of plPAC-encoded polypeptide may be produced by expression in a suitable procaryotic or eucaryotic system. For example, part or all of a DNA molecule, such as the cDNA having SEQ ID NO:1, may be inserted into a plasmid vector adapted for expression in a bacterial cell (such as E. coli) or a yeast cell (such as Saccharomyces cerevisiae), or into a baculovirus vector for expression in an insect cell. Such vectors comprise the regulatory elements necessary for expression of the DNA in the host cell, positioned in such a manner as to permit expression of the DNA in the host cell. Such regulatory elements required for expression include promoter sequences, transcription initiation sequences and, optionally, enhancer sequences.

The plPAC polypeptide produced by gene expression in a recombinant procaryotic or eucyarotic system may be purified according to methods known in the art. In a preferred embodiment, a commercially available expression/secretion system can be used, whereby the recombinant protein is expressed and thereafter secreted from the host cell, to be easily purified from the surrounding medium. If expression/secretion vectors are

BNSDOCID: <WO____0018886A1_I_>

10

15

20

25

10

15

20

* 8.00

.... 25

_{se} 30

not used, an alternative approach involves purifying the recombinant protein by affinity separation, such as by immunological interaction with antibodies that bind specifically to the recombinant protein. Such methods are commonly used by skilled practitioners.

The plPAC-encoded polypeptides of the invention, prepared by the aforementioned methods, may be analyzed according to standard procedures.

C. Transgenic Plants

Transgenic plants expressing the plPAC gene can be generated using standard plant transformation methods known to those skilled in the art. These include, but are not limited to, Agrobacterium vectors, PEG treatment of protoplasts, biolistic DNA delivery, UV laser microbeam, gemini virus vectors, calcium phosphate treatment of protoplasts, electroporation of isolated protoplasts, agitation of cell suspensions with microbeads coated with the transforming DNA, direct DNA uptake, liposome-mediated DNA uptake, and the like. methods have been published in the art. See, e.g., Methods for Plant Molecular Biology (Weissbach & Weissbach, eds., 1988); Methods in Plant Molecular Biology (Schuler & Zielinski, eds., 1989); Plant Molecular Biology Manual (Gelvin, Schilperoort, Verma, eds., 1993); and Methods in Plant Molecular Biology - A Laboratory Manual (Maliga, Klessig, Cashmore, Gruissem & Varner, eds., 1994).

The method of transformation depends upon the plant to be transformed. The biolistic DNA delivery method is useful for nuclear transformation. In another embodiment of the invention, Agrobacterium vectors are used to advantage for efficient transformation of plant nuclei.

BNSDOCID: <WO 0018886A1 1 >

In a preferred embodiment, the gene is introduced into plant nuclei in Agrobacterium binary vectors. Such vectors include, but are not limited to, BIN19 (Bevan, 1984, Nucleic Acid Res 12: 8711-8721) and derivatives thereof, the pBI vector series (Jefferson et al., 1987, PNAS 83:8447-51), and binary vectors pGA482 and pGA492 (An, 1986) and others (for review, see An, 1995, Methods Mol Biol 44:47-58). In preferred embodiments, the pPZP211 vector (Hajdukiewicz et al., 1994, PMB 25:989-994) or PCGN7366 (Calgene, CA) are used. 10 DNA constructs for transforming a selected plant comprise a coding sequence of interest operably linked to appropriate 5' (e.g., promoters and translational regulatory sequences) and 3' regulatory sequences (e.g., terminators). 15

Using an Agrobacterium binary vector system for transformation, the pIPAC coding region, under control of a constitutive or inducible promoter as described above, is linked to a nuclear drug resistance marker, such as kanamycin resistance. Agrobacterium-mediated transformation of plant nuclei is accomplished according to the following procedure:

- (1) the gene is inserted into the selected Agrobacterium binary vector;
- cultivation of plant tissue (e.g., leaf discs) with a suspension of recombinant Agrobacterium, followed by incubation (e.g., two days) on growth medium in the absence of the drug used as the selective medium (see, e.g., Horsch et al. 1985, Cold Spring Harb Symp Quant Biol. 50:433-7);
 - (3) plant tissue is then transferred onto the selective medium to identify transformed tissue; and
 - (4) identified transformants are regenerated

BNSDOCID: <WO_____0018886A1_i_>

20

at the company of the state of

to intact plants.

It should be recognized that the amount of expression, as well as the tissue specificity of expression of the plPAC gene in transformed plants can vary depending on the position of their insertion into the nuclear genome. Such position effects are well known in the art. For this reason, several nuclear transformants should be regenerated and tested for expression of the transgene.

10

15

20

ີ 25

5

IV. Uses of PIPAC Nucleic Acids, Encoded Proteins and Antibodies

1. PIPAC Nucleic Acids

of purposes in accordance with the present invention. The DNA, RNA, or fragments thereof may be used as probes to detect the presence of and/or expression of plPAC genes. Methods in which plPAC nucleic acids may be utilized as probes for such assays include, but are not limited to: (1) in situ hybridization; (2) Southern hybridization (3) northern hybridization; and (4) assorted amplification reactions such as polymerase chain reactions (PCR).

The plPAC nucleic acids of the invention may also be utilized as probes to identify related genes from other plant species. As is well known in the art and described above, hybridization stringencies may be adjusted to allow hybridization of nucleic acid probes with complementary sequences of varying degrees of homology. Thus, plPAC nucleic acids may be used to advantage to identify and characterize other genes of varying degrees of relation to the exemplary ATPAC, thereby enabling further characterization of this family

BNSDCCID: <WO 0018886A1 1 >

of genes in plants. Additionally, they may be used to identify genes encoding proteins that interact with the P-glycoprotein encoded by plPAC (e.g., by the "interaction trap" technique).

5

10

15

20

25 -

30

2. PlPAC Proteins and Antibodies

Purified plPAC-encoded P-glycoproteins, or fragments thereof, may be used to produce polyclonal or monoclonal antibodies which also may serve as sensitive detection reagents for the presence and accumulation of plant P-glycoproteins in cultured plant cells or tissues and in intact plants. Recombinant techniques enable expression of fusion proteins containing part or all of the plPAC-encoded protein. The full length protein or fragments of the protein may be used to advantage to generate an array of monoclonal or polyclonal antibodies specific for various epitopes of the protein, thereby providing even greater sensitivity for detection of the protein in cells or tissue.

Polyclonal or monoclonal antibodies immunologically specific for plPAC-encoded proteins may be used in a variety of assays designed to detect and quantitate the protein. Such assays include, but are not limited to: (1) flow cytometric analysis; (2) immunochemical localization in cultured cells or tissues; and (3) immunoblot analysis (e.g., dot blot, Western blot) of extracts from various cells and tissues.

Polyclonal or monoclonal antibodies that immunospecifically interact with one or more of the polypeptides encoded by plPAC can be utilized for identifying and purifying such proteins. For example, antibodies may be utilized for affinity separation of proteins with which they immunospecifically interact. Antibodies may also be used to immunoprecipitate proteins

BNSDOCID: <WO_____0018886A1_[_>

A STATE OF STATES

from a sample containing a mixture of proteins and other biological molecules.

3. plPAC Transgenic Plants

Transgenic plants that over- or under- express plPAC can be used in a varied of agronomic and research applications. From the foregoing discussion, it can be seen that plPAC and its homologs, and transgenic plants containing them will be useful for improving stress resistance or tolerance in plants. This provides an avenue for developing marginal or toxic soil environments for crop production. Both over- and under-expressing plPAC transgenic plants have great utility in the research of herbicides and other xenobiotic compounds.

As discussed above and in greater detail in Example 1, the similarity between plant and mammalian mdr genes indicates that their functional aspects will also be conserved. Thus, plPAC is expected to play an important role in the exclusion of toxic metabolic or xenobiotic compounds from cells. The fact that plPAC also is inducible and appears to be preferentially expressed in roots, where contact with such compounds often occurs, makes plPAC particularly desirable for genetic engineering of plants to increase their tolerance to such compounds. Accordingly, plants engineered to overexpress the plPAC gene should be resistant to a wide range of chemicals, both intentionally applied as herbicides or unintentionally as wastes. Examples of the kinds of xenobiotics that should be detoxified by the plPAC of the invention include, but are not limited to, hydrophobic (i.e., lipophilic) herbicides and other compounds, such as 3(3,4-dichlorophenyl)-1,1, dimethyl urea (also known as DCMU or Diuron, available from Sigma Chemical Co., St. Louis, MO) or other hydrophobic

BNSDOCID: <WO____0018886A1_I >

5

10

15

20

25

compounds that disrupt photosynthetic electron transport, as well as Metachlor (Ciba Geigy, Basel Switzerland), Taurocholate (Sigma Chemical Co.), Primisulfuron (Ciba Geigy), and IRL-1803.

As illustrated in Example 2, plant cells that over-express a plPAC gene have surprisingly higher growth rate with or without the xenobiotic compound Rhodamine 6G. It is contemplated that plPAC overexpression may be a generally useful way to increase plant and plant cell culture growth, even without the presence of xenobiotic compounds.

The following specific examples are provided to illustrate embodiments of the invention. They are not intended to limit the scope of the invention in any way.

EXAMPLE 1 Cloning and Analysis of a PIPAC From Arabidopsis thaliana

The plPAC of the present invention was identified by its up-regulation in response to a chloride ion channel blocker. Brassica napus plants were grown either in the presence or absence of 20 µM 5-nitro-2-(3-phenylpropylamino) benzoic acid (NPPB). After five days, the roots of the seedlings were harvested and total RNA was extracted separately from the treated and untreated plants. From the total RNA preparations, poly (A)+ RNA was isolated and used as the starting material to create a cDNA subtraction library, using the CLONTECH PCR-SELECT™ cDNA Subtraction Kit and accompanying instructions (CLONTECH Laboratories, Inc., Palo Alto, CA).

BNSDOCID: <WO____0018886A1_I_>

5

10

20

25

30

20

25

30

Using the subtractive hybridization kit, a gene fragment was identified that was up-regulated in response to treatment of the plants with NPPB. This fragment (0.5 kb) was used to screen a cDNA library of Arabidopsis thaliana, from which a full-length cDNA clone was isolated. The nucleotide sequence of this cDNA clone, referred to as ATPAC (Arabidopsis thaliana putative anion channel) is set forth below as SEQ ID NO:1.

The 3.76 kb cDNA clone encodes a polypeptide

1,254 amino acids in length. The deduced amino acid
sequence encoded by SEQ ID NO:1 is shown in Figure 1 as
"atpac" (SEQ ID NO:2), in a lineup with the following
sequences: (1) hmdr1 (SEQ ID NO:3); (2) mmdr1 (SEQ ID
NO:4); (3) hmdr3 (SEQ ID NO:5); (4) mmdr2 (SEQ ID NO:6);

(5) atpgp1 (SEQ ID NO:7); and (6) atpgp2 (SEQ ID NO:8).
A consensus sequence (SEQ ID NO:9) is also shown.

A search of various sequence databases indicates that ATPAC is a new and distinct member of the mdr family of ABC transporters. In none of the databases, including the EST collection, does an exact match exist. The ABC transporter family is very large, consisting of at least two sub-groups, mrp and homologs and mdr and homologs. The only examples of plant mdrlike genes are atpgp1 and atpgp2 from A. thaliana and two homologs from potato and barley, respectively. Though the atpgp1 and atpgp2 genes are similar to ATPAC, they are only 51 and 50% identical, respectively, indicating that ATPAC is a distinct gene by comparison. Sequence homology with the potato and barley mdr-like genes is even more divergent. Another difference between the agpgp1 gene and the ATPAC gene is their respective preferential expression in inflorescens and roots, respectively.

BNSDOCID: <WO 0018886A1 1 >

EXAMPLE 2 Effect of ATPAC Expression in Bacterial Cells on Their Ability to Detoxify Rhodamine 6G

The compound Rhodamine 6G is a well known substrate of mammalian p-glycoproteins (Kolaczkowski et al., J. Biol. Chem. 271: 31543-31548, 1996). The ability 10 of a cell to detoxify the compound is indicative of activity of p-glycoproteins. A bacterial cell line was transformed with an expression vector comprising ATPAC. The growth rate of transformed and non-transformed cells was then measured, in the presence or absence of Rhodamine 6G. Results are shown in Figure 2. As can be 15 seen, ATPAC-expressing cells grown in the absence of the drug had the best growth rate. Moreover, even in the presence of the drug, the cells grew more quickly than non-transformed cells in the presence or absence of Rhodamine 6G. These results demonstrate that ATPAC 20 encodes a functional and robust p-glycoprotein.

Example 3 Transgenic Plants the Overexpress and Underexpress ATPAC

binary vector pPZP211 (Hajdukiewicz et al., 1994 Plant Mol. Biol. 25:989-994) was digested with EcoRI and SmaI, and self-ligated. This molecule was named pPZP211'. The Agrobacterium binary vector pCGN7366 (Calgene, CA) was digested with XhoI and cloned in SalI-digested pPZP211'. We named this binary vector pPZP-PCGN. The 3.8 kb full-length ATPAC cDNA was cloned into the pGH19 vector. After digestion with SmaI (in the multiple cloning site upstream) and EcoRI, a 3.1 kb cDNA fragment was cut out.

BY 1 IN TURBURS

25

30

35

15

20

25

30

This SmaI-EcoRI 3.1 kb fragment was cloned into the SmaI/EcoRI site of pPZP-pCGN. The rest of ATPAC gene was amplified using polymerase chain reaction to have translationally fused HA-tag at its 3'-terminal. After ligating EcoRl linkers to the ends of the resulting PCR product, the 0.7 kb fragment was cloned into the EcoRI site of the SmaI-EcoRI 3.1 kb ATPAC fragment in pPZP-pCGN. The final construct was named pATPAC-OE.

Plant transformation. pATPAC-OE was introduced into Agrobacterium tumefaciens strain by a direct transformation method. Agrobacterium-mediated transformation was performed using vacuum infiltration (Bechtold et al., 1993,. CR Acad. Sci. [III] 316: 1194-1199.)

T1 plants which survived on kanamycin-containing plates were selected, transplanted into soil and grown to set T2 seed. T3 seeds were collected from kanamycin-resistant T2 plants. T3 plants which showed 100% kanamycin-resistance were selected and were considered homozygous for the transgene.

Antisense Plants. The full length cDNA in pBluescript SK(-) vector (Stratagene, CA) is digested with EcoRI (there is a cleavage site in the upstream polylinker) and SspI. The resulting 1.3 Kb fragment representing a 5' portion of the AtPAC cDNA was cloned into the aforementioned pPZP-PCGN, which had been digested with EcoRI/SmaI, ensuring that this fragment of the cDNA was inserted in the antisense orientation. This construct was named pATPAC-AE. pATPAC-AE was introduced into Arabidopsis plants by Agrobacterium transformation, as described above.

Knock-out Plants. The method of Krysan et al (1996, PNAS 93:8145, incorporated by reference herein) was followed using the following primers:

Gene-specific primers:

5 AtpacF: CACTGCTCAATGATCTCGTTTTCTCACTA (SEQ ID NO:11)
AtpacR: CTTGAATCACACCAATGCAATCAACACCTC (SEQ ID NO:12)
Primers for T-DNA left boarder:

JL202: CATTTTATAATAACGCTGCGGACATCTAC (SEQ ID NO:13)
JL270: TTTCTCCATATTGACCATCATACTCATTG (SEQ ID NO:14)

10

While certain of the preferred embodiments of the present invention have been described and specifically exemplified above, it is not intended that the invention be limited to such embodiments. Various modifications may be made thereto without departing from the scope and spirit of the present invention, as set forth in the following claims.

What is claimed:

- A nucleic acid isolated from a plant, which encodes a p-glycoprotein that is inducible by exposure of the plant to NPPB.
 - 2. The isolated nucleic acid of claim 1, which is preferentially expressed in plant roots upon exposure of the plant to NPPB.

10

3. The isolated nucleic acid of claim 1, wherein the plant is selected from the group consisting of Brassica napus and Arabidopsis thaliana and is 3850-4150 nucleotides long.

15

- 4. The isolated nucleic acid of claim 1, which has the restriction sites shown in Figure 4 for at least three enzymes.
- 5. The isolated nucleic acid of claim 4, which encodes a polypeptide having SEQ ID NO:2.
- 6. The isolated nucleic acid of claim 5, which is a cDNA comprising a coding region selected from the group consisting of SEQ ID NO:1 and SEQ ID NO:10.
 - 7. An isolated protein, which is a product of expression of part or all of the isolated nucleic acid molecule of claim 1.

30

- 8. Antibodies immunologically specific for the protein of claim 7.
 - 9. A expression cassette, which comprises a

BNSDOCID: <WO____ 0018886A1 1 >

en di Salama di Angla di Salama

plPAC gene coding sequence operably linked to a promoter.

10. The expression cassette of claim 9, which comprises a plPAC gene from Arabidopsis thaliana.

5

- 11. The expression cassette of claim 10, in which the promoter is the cauliflower mosaic virus 35S promoter.
- 10 12. The expression cassette of claim 10, in which the plPAC gene is part or all of SEQ ID NO:1 or SEQ ID NO:10.
- 13. A vector comprising the expression15 cassette of claim 9.
 - 14. The vector of claim 13, which is comprised of an Agrobacterium binary vector selected from the group consisting of pPZP211 and pCGN7366.

20

15. A method for producing a plant with enhanced resistance to xenobiotic compounds by transforming in vitro the plant with the expression cassette of claim 9.

- 16. The method of claim 15, wherein the transformation step further uses the vector of claim 13.
- 17. A transgenic plant produced by the method30 of claim 15.
 - 18. A reproductive unit form the transgenic plant of claim 17.

19. A cell from the transgenic plant of claim 17.

- 20. A recombinant DNA molecule comprising the nucleic acid molecule of claim 1, operably linked to a vector for transforming cells.
 - 21. A cell transformed with the recombinant DNA molecule of claim 20.

10

20

30

5

- 22. The cell of claim 21, selected from the group consisting of bacterial cells, yeast cells and plant cells.
- 15 23. A transgenic plant regenerated from the transformed cell of claim 22.
 - 24. An isolated nucleic acid molecule of at least 20 nucleotides in length having a sequence selected from the group consisting of:
 - a) SEO ID NO:1 and SEQ ID NO:10;
 - b) a nucleic acid sequence that is at least about 60% homologous to the coding regions of SEQ ID NO:1 or SEQ ID NO:10;
- 25 c) a sequence hybridizing with SEQ ID NO:1 or SEQ ID NO:10 at moderate stringency;
 - d) a sequence encoding part or all of a polypeptide having SEQ ID NO:2;
 - e) a sequence encoding an amino acid sequence that is at least about 70% identical to SEQ ID NO:2;
 - f) a sequence encoding an amino acid sequence that is at least about 80% similar to SEQ ID NO:2;
 - g) a sequence encoding an amino acid sequence that is at least about 40% similar to residues 1-76, 613-

BNSDOCID: <WO_____0018886A1_J >

WO 00/18886 PCT/US99/22363

- 36 - ·

669 or 1144-1161 of SEQ ID NO:2; and

h) a sequence hybridizing at moderate stringency to a sequence encoding residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2.

5

- 25. A polypeptide produced by expression of the nucleic acid sequence of claim 24.
- 26. Antibodies immunologically specific for the polypeptide of claim 24.
 - 27. An oligonucleotide between about 10 and about 100 nucleotides in length, which specifically hybridizes at moderate stringency with a portion of the nucleic acid molecule of claim 24.
 - 28. A recombinant DNA molecule comprising the nucleic acid molecule of claim 24, operably linked to a vector for transforming cells.

20

15

- 29. A cell transformed with the recombinant DNA molecule of claim 28.
- 30. The cell of claim 29, selected from the group consisting of bacterial cells, yeast cells and plant cells.
 - 31. A transgenic plant regenerated from the cell of claim 30.

30

- 32. An isolated plant p-glycoprotein, which is inducible upon exposure of the plant to NPPB.
 - 33. The p-glycoprotein of claim 32, which

BNSDCCID: <WO____0019898A1_[_

Anna Cartago

confers upon a cell in which it is found resistance to Rhodamine 6G.

- 34. The p-glycoprotein of claim 33, which is preferentially produced in roots upon the exposure to the NPPB.
- 35. The p-glycoprotein of claim 34, from a plant selected from the group consisting of Brassica napus and Arabidopsis thaliana.
 - 36. The p-glycoprotein of claim 35, having an amino acid sequence that selected from the group consisting of:
- a) an amino acid sequence that is at least 80% similar to SEO ID NO:2;
 - b) an amino acid sequence that is at least 70% identical to SEQ ID NO:2;
- c) an amino acid sequence that is at least 40% similar to residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2; and
 - d) an amino acid sequence encoded by a nucleic acid sequence hybridizing at moderate stringency to a amino acid sequence encoding residues 1-76, 613-669 or 1144-1161 of SEQ ID NO:2.
 - 37. Antibodies immunologically specific for the p-glycoprotein of claim 32.
- 38 The antibodies of claim 35, that are immunologically specific to residues 1-76, 613-669 or 1144-1161 of SEO ID NO:2.
 - 39. A plant p-glycoprotein gene promoter which

BNSDOCID: <WO_____0018886A1_i_>

25

is inducible by NPPB.

5

15

- 40. The plant p-glycoprotein gene promoter of claim 39, that is part or all of residues 1-3429 of SEQ ID NO:10.
- 41. A plant with reduced levels of plPAC protein.
- 10 42. The plant of claim 41, wherein the native plPAC gene is mutated.
 - 43. The plant of claim 42, wherein the plPAC gene is mutated due to the insertion of a T-DNA.
 - 44. A method for making the plant of claim 42, wherein a population of mutated plants are screened using at least one of SEQ ID NOS:11-14 as PCR primers.
- 20 45. The method of claim 44, wherein the population of plants is mutated by T-DNA insertion.

BNSDCCID: <WO. 0018886A1 F

mn. . lebdmtryayyysgigagvlvaayiqvsfwclaagroihkirkqffhaimroligwfdvh. Dvgelntrltddvskinevigdkigmfffgsmatfftgfivgftrg snsslbermaiyayyytgigagvlivayiqvslwclaagrqihkirqkffhaimmqeigwfdvh. Dvgelntrltddvskindgigdkigwffqsittflagfiigfisg . . Homohevsryslyfvylglovcfssyaeiacmmysgerqvaalrkkyleavlkodvgffdtdarfsostdtilvodaisekvgnfihylstflaglovgfvsa

... FKLNNKSEKDKKEKKPT..VSVFSMFRYSNWLDKLYMVGTLAAIIHGAGLPLMLVFGEMTDIFANAGNLEDIMSNITNRSDINDTGFF

vgv lrryadw Dkl M lGtlaAiiHGs lPlmmivFgemtd fa

______msetntdaktvpaeaekkkeqslpffklpspadkpslgathessaupecslgathessmpvffllfgmngpgknomdl

dr kkk

. KOASHRVAKYSLDFVYLSVAILFSSWLEVACWMHTGERQAAKWRRAYLRSWLSQDISLFDTEASTGEVISAITSDIIVVQDALSEKVGNFLHYISRFIAGFAIGFTSV k leeemtrYayyysglgagvlv ayiqvs W laagRQ1rkiR kffhailrQeigwFDi tgelntritdDiskindgigdKvGmFfg vatFlaGfivGF1 g

WCLTLVIMAI SPILGLSAAVMAKILSAFSDKELAAYAKAGAVAEEALGAI RTVI AFGGONKELERYQKHLENAKEI GI KKAI SANI SMGI AFLLI YAS YALAFWYGSTLV

. . Ekomeevlkyalyfivvgaaiwasswaeiscwmwsgerottkmrikyleaalnodioffdtevrtsdvvfaintdavmvodaiseklgnfihyratfvsgfivgftav

105 102 77 80 73

atpac

hmdr1

mmdr1

consensus

undr3

atpgp1 atpgp2

WOLALVTLAVVPLIAVIGGIHTTTLSKLSNKSOBSLSOAGNIVEQTVVQIRVVMAFVGESRASOAYSSALKIAOKGGYKTGLAKGMGLGATYFVVFCCYALLIMYGGYLV WOISLVTLSIVPLIALAGGIYAFVAIGLIARVRKSYIKAGEIAEEVIGNVRTVQAFTGEERAVRLYREALENTYKYGRKAGLTKGLGIGSMHCVLFLSWALLVWFTSVVV WKITLVILAISPIIGISBAVWAKILS ÍS KEI AYAKAGAVAEÐ IGAÍRTVÍAÍGGG KÐIÐEYGK IÐ AKKIGIKKAÍSA ÍSMG AÍILIÍYASYALAFWYGSTÍV hko iadgeks fitmlnvv iaglslegaapd isafvrakaaayp i fkmi erntvtktsaksgrklekvdghi qfkdatfsypsrpdvv i fdrintai pagkivalvg<u>esgs</u> WCLTIVILAI SPVLGLSAAVWAKILSSFTDKELLAYAKAGAVAEEVLAAI RTVIAFGGOKKELERYNKOKLEEAKRI GIKKAITANI SI GAAFILLI YASYALAFWYGTTLV Waltivilanspligessalwakvltsftnkeloayakagavaeevlaairtviafggokælerynknleeakongikkaltasisigiaytlvyasyalafwygtslv rngotdggkaftaifsaivggmslggsfsnlgafskgkaagyklmeiingrptiiqdpldgkcldqvhgnirfkdystrpdvmifrnfniffpsgktvavvg<u>gsgs</u> RHHITNGGLALATMFAVMIGGLALGQSAPSMAAFAKAKVAAAKI FRI I DHKPT I ERNSESGVELDSVTGLVELKNVDFSYPSRPDVKI LNNFCLSVPAGKT I ALVGSSGS Ghkpd ikGnlefkdvhFsYPSR evkilkglnlkv sGqtvAlVG SGc WCLTLVIMAI SPILGLSTAVWAKILSTFSDKELAAYAKAGAVAEEAPGAI RTVI AFGGONKELERYOKHLENAKKI GI KKAI SANI SMGI AFLLI YASYALAFWYGSTLV WCLALLSVAVI PGIAFAGGLYAYTLTGITSKSRESYANAGVIAEQAIAQVRTVYSYVGESKALNAYSDAIQYTLKCGYKRGWAKGLGLGCCTYGIACMSWALVFWYAGVFI i skryti gnamtvffs i ligafsvgqaapci dafanargaayvi fd i dnnpki dsfserghkpdni kgnlefsdvhfsypsrani ki lkglnlkvksgqtvalvg<u>nsgc</u> i skeyti gnamtvffsi ligafsvgqaapci dafanargaayvi pdi i dnnpki dsfserghkpdsi kgnlefndvhfsypsranvki lkglnikvqsgqtvalvg<u>ssg</u> lsneysigevltvffsillgtfsighlapnieafanargaafeifkiidnepsidsfykpdsimgnlefknvhfnypsrsevqilkglnlkvksgqtvalvg<u>ns</u> lsgeysi govlityffsvligafsvggaspsieafanargaaye i fki i dnkpsi dsysksghkpdni kgnlefrnvhfsypsrkævki lkglnlkvqsgqtvalvg<u>ns</u> is eytiG amtvffsiligafsvGqaap idAFanargAay ifkiIdn psidsfs 295 298 291 181 211 185 188 321 consensus consensus tpgp2 atpgp2 atpgpl atpgpl mdr1 atpac hmdr1 mmdr1 atpac undr2 mdr2 undr1

Figure 1 (sheet 1 of 4)

BNSDOCID: <WO_____0018886A1_I_;

consensus

atpac

MDLEGDRNGGAKKKNF

of (sheet 2 Figure

nifsliflglgisfitfflggftfgkaGEiLTrRvR mvfkamLrqdmsWFDd knstg lstRLatDAaqvkgaig rlavi QNianlgtgilisflygWqlt

מַ

consensus

velsdekaagdvapngwraifrnstkkslksph. . Qn. . . Rldeetneldanvppvsflkvilkinktewpyfvvgtvcaiangalqpafsiilsemiaifgpgdd.avk deskseidalemssndsrseirkrstrrsvrgsgagd...rklstkealdesippvsfwrimkgnltewpyfvvgvfcalingglopafalifskilgvftriddpetk ygsqsdtdaseltseesksplir.rsiyrsvhrkqdqe...rrlsmkeavdedvplvsfwrilninlsewpyllvgvlcavingciqpvfaivfsrivgvfsrdddhetk lshslstkslsl.....rsgslrnlsysystgadgriemisnaetdrktra...penyfyrlikcinspenpysimgavgsilsgfigptfalvmsnmievfyytdydsme IKXS......RELSRTRSSFCSER.ESVTRPDGADPSKKVKVTVG...RLYSMIRPDWMYGVCGTICAFIAGSQMPLFALGVSQAL.VSYYSGWDETQ ookcnifsliflelgiisfetfeggetfgkageiltrrlrsmafkamlrodmsweddhknstgalstrlatdaaqvogatgtrlaliaonianlgtgiisfiygwolt ronsnlfsllflalgi sfitfflogftfgkageiltkrlrymvfrsmlrodvswfddpknttgalttrlandaaqvkgaigsrlavitonianlgtgi i sfiygmolt roncnlfslfflymgli sfvtyffggftfgkageiltkrvrymvfksmlrodiswpddhknstgslttrlasdassvkgamgarlavvtonvanlgtgvilsivygwolt rk. Tkeyvfiyigaglyavgayliqhyffsimgenlttrvrrmlsailrnevgwfdedehnssliaarlatdaadvksaiaerisvilqnmtslltsfivafivewrvs ko. Idkycylliglssaalventlohsfwdivgenltkrvrekalsavlknemawfdoeenesariaarlaldannvrsaigdrisvivontalalvactagfvlowrla KE. IKKIAILFCCASVITLIVYTIEHICFGTMGERLTLRVRENMFRAILKNEIGWFDEVDNTSSMLASRLESDATLLKTIVVDRSTILLQNLGLVVTSFIIAFILNWRLT aralvrnpk<u>illid</u>batsaldteseaevoaaldkaregrttiviahrlstirnadviagfedgviveqgshselmkk..Egiyfrlvnmqtagsqilsee.....fe aralvrnpkillidbeatsaldteseavvovaldkarkgrttiviahrlstvrnadviagfddgvivekgnhdelmke..Kgiyfklvtmotagnevelen.....aa aralvrnpk<u>illid</u>eatsaldteseavvqaaldkaregrtiviahrlstvrnadviagfdggviveqgnhdelmre..KgiyfkCvmtqtrgneiepgn.....na aramikdpk<u>illid</u>batsaldassesivqealdrvmgrttvvvahrictirnvdsiaviqqgqvvetgtheeliak. .sgayaslirfqemvgtrdfsnpstrrtrstr aramiknpa<u>ilildeatsaldsesekivqealdrfmigrttiijahris</u>tirkadivavloogsvseigthdelfskgengvyaklikmoeaahetamsnarkssarpss SRAIVKNPS<u>ILLLD</u>EATSALDAESEKSVQEALDRVMVGRTTVVVAHRLSTVRNADIIAVVHEGKIVEFGNHENLIS.NPDGAYSSLLRLQETASLQRNPSLNRTLSRPHS elndekaatrmapngwksrlfrhstoknlknsomcok...sldvetdgleanvppvsflkvlklinktewpyfvvgtvcalangglopafsvifseiiaIfgpgdd.avk arnsvsspimtrnssygrspysrisdfstsdesisidasypnyrnektarkdgansfwrlakminspewkyaligsvgsvicgslsaffayvlsavlsvyynpdheymi ookcimpsivplgigvlspptppggptpgkageilttrlrsmapkamlrodmswpdhknstgalstrlatdaaqvogatgtklaliaqntanlgtgiisfiygwqlt <u>gks</u>tvislierfyepisgavildgnniseldikwirgoiglvnoepalfattirenilygkodataeeitraakuseaisfinnipegfetqvgergiolsggokoriai gksttvolmorlydplegvysidgodirtinvrylreiigvysoepvlfattiaenirygredvtmdeiekavkeanaydfimklphofdtivgergaolsggokoriai <u>gks</u>tvvslierfydpnsgoilldgveiktlolkflreoiglvngepalfattilenilygkpdatmveveaaasaanahsfitllpkgydtgvgergvolsggokoriai <u>SKS</u>TVVSLIERFYDPNSGQVLLDGQDLKTLKLRWLRQQIGLVSQEPALFATSIKENILLGRPDADQVEIEEAARVANAHSFIIKLPDGFDTQVGERGLQLSGGQKQRIAI tvolmorlydptegmysvdgodirtinvrflrei i gvysoepvlfattiaeni rygrenvtmdei ekavkeana ydfimalphkfdtivgergaqlsggokoriai fdTlVGeRGaQLSGGQKQRIAI . EGVYFKLVNMQTSGSQIQSEE..... d le vp vsfwrvlkln teWpY vvGtvcaiinG 1qp FaiilS ilavf GvYfkLv mQt g GKSTtvgligRlYdP eG v iDGgdirtinvryLReilGvVsQEPvLFaTtlaENI yGr dvtmdEiekAvkeanAyefImkLP aralvrnpkillligeatsaldteseaevgaaldkaregrttiviahrlstvrnadviagfedgviveggshselmkk. aRAIVINPKIILIDEATSAIDteSEavVQ ALDkar GRTTiviAHRLsTvRnaDviAgfedGvivE GsHdeLmkk ъ н 덩 ks 1 747 518 641 623 620 749 551 515 4434 4432 4403 4408 4401 11 541 consensus consensus consensus atpgp2 atpgp2 atpgp1 atpgpl atpgp1 atpgp2 atpac atpac atpac atpgpl mmdr1 atpac hmdr1 mmdr1 mdr2 hmdr1 mdr1 hmdr3 mdr2 mdr2 undr1 mdr1 umdr1

mdr2

SKSTIVOLLORLYDPTEGKI SI DGODIRNFNVRCLREI I GVVSQEPVLFSTTIAEN I RYGRGNVTMDE I EKAVKEANAYDFIMKLPQKFDTLVGDRGAQLSGGQKQRIAI

gksttvoliorlydpdegtinidgodirnfnvnylreiigvvsqepvlfsttiaenicygrgnvtmdeikkavkeanayefimklpokfdtivgergaqlsggokoriai

HO

KSTVVQLLERFYDPMAGSVLLDGQBAKKUNVQWLRAQLGIVSQEPILFDCSIAENIAYGDNSRVVPHDEIVRAAKEANIHPFIETLPQKYNTRVGDKGTQLSGGQKQRIA KSTVVQLLERFYDPLAGKVLLDGKEIKRLNVQWLRAHLGIVSQEPILFDCSIAENIAYGDNSRVVSQEEIVRAAKEANIHAFIESLPNKYSTKVGDKGTQLSGGQKQRIA KSTVVOLLERFYDPMAGSVFLDGKE IKOLNVOWLRAHLGIVSQEPILFDCSIAENIAYGDNSRAVSHEEIVRAAKEANIHQFIDSLPDKYNTRVGDKGTQLSGGQKQRIA <u>Ks</u>tvvollerfydplagtvlldggrakkinvqwlraglgivsgrpilfdcsiaeniaygdnsrvvsgdbivsaakranihpfietidhkyetrvgdkgtglsgggkgria <u>KS</u>SVIAMIERFYDLLAGKVMIDGKOIRRINIKSLRIKIGIVQQEPALFAATIFDNIAYGKOG..ATESEVIDAARAANAHGFISGLPEGYKTPVGERGVQLSGGQKQRIA <u>KS</u>SVISLIQRFYEPSSGRVMIDGKOIRKYNLKAIRKHIAIVPQEPCLFGTIYENIAYGHEC..ATEAEIIQAATLASAHKFISALPEGYKTYVGERGVQLSGGQKQRIA <u>ks</u>svislilrydptagkvmiegkdikkldlkalrkhiglvoqepalfattiyenilygneg. .asqsevvesamlanphsfitslpegystkvgergvomsggorgria vs dEiv aAk AniH FletLPdkY TrVGdkGtQlSGGQkQRIA KStVvqlleRFYdplaGkVlldGkeikklnvqwlRahlgiVsQEPiLFdcsIaeNIaYGdnsr 076 1053 065 1031 2 atpgp2 atpgpl mmdr1 hmdr3 hmdr1 atpac mdr2

1101

consensus

Figure 1 (sheet 4 of 4)

i aralvrkae i<u>mlid</u>eatsaldaesersvoealdoacsgrts ivvahrlstirnahvidviddgkvaeogshshllkohpgiyarmiolorfthtovi*g*htsgsssrvk iarailkopa<u>illide</u>atsaldveservvqqaldrimanrttvvvahrlstikoadtisvlhggkiveqgshrklvink, sgpyfklislqqqqqp------IARALVROPH<u>ILLID</u>BATSALDTESEKVVQEALDKAREGRTCIVIAHRLSTIONADLIVVIENGKVKEHGTHQQLLAQK..GIYFSM..VQAGAKRS~~~~~~ iaraliropr<u>vilid</u>eatsaldtesekvvoealdkaregriciviahrlstionadlivviengkvkehgthoollaok. . Giyfswvnioagtonl-----Iaralvrophillideatsaldtesekvvoealdkaregriciviahrlstionadlivvfongrvkehgthoollaok. . Giyfswysvoagtkro---iaraviknpt<u>vilid</u>eatsaldaesecviqealerimrgrttvvvahrlstirgvdcigviqdgriveqgshselv.srpegaysrilqlqthri*----iaraliropoillldeatsaldtesekvvoealdraregrtciviahrlstionadlivvfongrvrehoollagk. . Giyfshvsvoagtonl~~~ GiYfsmv vQagt IARALITAP ILLIDEATSALDTESEKVVQeALdkaregRTciViAHRLSTIqnadlIVVi nGkVkEhGtHqqLlaqk X 1211 1139 1186 1184 1173 1161 1281 consensus atpgpl atpgp2 hmdr1 hmdr3 hmdr1 umdr1 atpac mdr2 mdr2 hmdr3 0018886A1 | >

EDDA

1283 1234 1321

atpgp1 atpgp2

atpac

mdr1

consensus

1277 1255




Figure (






Figure 3

BNSDOCID <WO 0018886A1 L>

والكاراة كالتابيا وسادريهاك





BNSDOCID: <WO 0018886A1 1 >

1.

SEQUENCE LISTING

```
<110> Wisconsin Alumni Research Foundation
      Spalding, Edgar P.
      Noh, Bosl
<120> Xenobiotic Detoxification Gene from
<130> WARF S212
<150> 60/101,814
<151> 1998-09-25
<160> 14
<170> FastSEQ for Windows Version 3.0
<210> 1
<211> 4051
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> misc_feature
<222> (94)...(0)
<223> Translation start codon
```

<400> 1

<221> misc_feature <222> (3932)...(0) <223> Stop codon

cttgaacttc acaaaacaat tgtcagattt tcaagaaaaa ctttataaaa caaaaaacat ttcattcttt ctctctct ctctcactgc tcaatgatct cgttttctca ctaaaccaac 120 tegittette ttaettiett taacteggat etacaaaaaa eeatgiegga aactaacaca 180 accgatgcca agactgttcc agcagaagca gagaagaaga aagaacagag tttaccattc 240 tttaaactet tttetttege tgataaattt gattatetet taatgttegt tggttetett 300 ggtgccattg ttcatggctc ttccatgcct gtcttctttt tactctttgg tcaaatggtt 360 aatggatttg gtaaaaacca aatggattta catcaaatgg ttcatgaagt ctctagatat 420 tctctatatt tcgtctactt gggtttggtc gtttgcttct cttcttacgc agagatagca 480 tgttggatgt attctggaga aagacaagta qcaqcattaa ggaagaaata tcttgaagca 540 gtattaaaac aagacqttqq qttctttqat actqatqcta qaactqqtqa cattqtcttt 600 660 agtgtttcta ctgatactct tcttgttcaa gatgccatta gtgaaaaggt tggaaacttt atacattacc teteaacatt tttggeggga ttagtagttg gatttgtate ageatggaaa ttagetttgt taagtgttge tgtgattee ggaategett tegeeggagg tttataeget 720 780 tatacactca ccggaattac ttcaaagagc cgtgaatctt atgctaacgc cggtgttatc 840 gccgagcagg caattgctca agttcgaact gtttattctt atgttggaga gagtaaggca 900 cttaatgcgt attcggatgc gattcagtat acgcttaagc tcggttataa agcggggatg 960 gctaaagggt tgggtttagg atgtacttat ggaatagctt gtatgtcatg ggctttggtg 1020 ttttggtatg ctggagtttt tattcggaat ggacaaaccg atggaggaaa ggcgtttact 1080 gctatattct ctgctattgt tggtggaatg agtttggggc aatctttctc gaatcttggg 1140 gcgtttagta aaggtaaagc ggctggttat aagttgatgg agataattaa ccagagaccg 1200 acgataattc aagacccgtt ggatggaaaa tqtttggatc aagttcatgg gaacattgag 1260 tttaaagatg tgacttttag ctatccttca cggcctgatg ttatgatctt caggaacttt 1320 1380 aatattttct tcccttctgg gaaaactgtg gcggttgttg gtgggagtgg ctctggaaag agtactgttg tttccctcat tgagagattc tatgatccaa acagcgggca aattctgttg 1440 gatggtgttg agataaagac gcttcagttg aagtttttgc gtgaacaaat cgggcttgtg 1500 aatcaagaac ctgcgctctt tgccactact atactagaga acatactcta tggaaagcct 1560 gatgcaacaa tggttgaagt tgaagctgct gcttccgctg cgaatgcgca tagtttcatt 1620 acattacttc ctaaaggcta cgacacacag qttggagaac gtggtgttca actetcaggt 1680

BNSDOCID: <WO____0018886A1 | >

```
ggacagaagc agagaattgc aattgctagg gcgatgttga aagacccaaa gattctgtta
                                                                    1740
                                                                    1800
ctagatgaag ctacaagcgc tcttgatgct agctctgaga gcattgttca ggaagcttta
gacagagtca tggtggggag gaccactgtt gttgttgctc atcgtctctg caccatcaga
                                                                    1860
aatgttgatt ccattgccgt gatacagcaa ggccaagttg ttgaaaccgg aacacatgaa
                                                                    1920
                                                                    1980
gaactcattg ccaaatccgg tgcttacgca tccctcatca ggtttcagga aatggttggt
actcgagatt tctcaaaccc gtcaactcgt cgcactcgtt caacccgttt gagccattca
                                                                    2040 .
ctgtcaacga aatcactcag tttaagatca ggaagtttga ggaatctgag ctattcttac
                                                                    2100
agcactggag ctgatggtcg gatagagatg atttcaaatg cagagactga ccgaaagact
                                                                    2160
cgtgccctg aaaattactt ctacaggctt ctcaagctta attcaccgga atggccttac
                                                                    2220
tcaatcatgg gagcagtagg ctcaattctt tctggtttca ttggtcctac atttgctatt
                                                                    2280
2340
                                                                    2400
acaaaagagt atgtcttcat ctacattggt gctggtctct atgctgtggg tgcttatttg
atccaacatt acttetttag catcatggga gaaaacetca caacaagagt aagaagaatg
                                                                    2460
atgctctcag ctatcttgag aaacgaagtt ggttggttcg atgaggatga acacaactca
                                                                    2520
agcctgatcg ctgcacgttt agctactgat gcagcagatg ttaaatccgc tatagccgag
                                                                    2580
agaateteag taattetaca aaacatgact teaettetea cateetteat agtegeette
                                                                    2640
atagtagaat ggagagtete actteteate ttaggeacat teceaettet agteeteget
                                                                    2700
                                                                     2760
aactttgctc agcaactatc tctgaagggt tttgctggag acacagctaa ggctcatgca
                                                                     2820
aagacttcaa tgattgctgg tgaaggagtc agtaacatta gaaccgtagc agctttcaat
gcacagagca agattetete tttgttetgt catgagette gtgtacetea gaaaagaage
                                                                     2880
ttaagettat accgaagtca aacctegggt tteetatttg geetetegea gettgetete
                                                                     2940
tatggttctg aggctttaat tctctggtat ggtgcccacc ttgtgagtaa aggcgtgtca
                                                                     3000
accttttcca aagtgatcaa agtgtttgtg gttttggtca ttactgcaaa ctctgttgct
                                                                     3060
gaaactgtca gtcttgctcc tgaaattatt cggggaggtg aagctgttgg ttcggttttc
                                                                     3120
teggtettgg acaggeagae caggattgae eeggatgatg etgatgetga teeegtggag
                                                                     3180
acgatccgtg gagacattga gtttaggcat gttgatttcg cttacccttc aagacccgac
                                                                     3240
                                                                     3300
gtcatggttt tcagggactt taacctcaga attcgagctg gacatagcca agctcttgtg
                                                                     3360
ggcgcgagtg ggtcagggaa gagttctgta attgcgatga tcgagcggtt ttacgacctt
cttgctggaa aagtcatgat tgatggcaaa gacatccgcc ggctaaacct gaaatctcta
                                                                     3420
aggeteaaaa teggtettgt teaacaagaa ecagetettt tegeageaac gatettegae
                                                                     3480
aacatcgcct atggtaaaga tggtgcaact gaatccgagg taattgatgc agctcgagcc
                                                                     3540
gcaaatgctc acggtttcat cagtggttta cctgaaggtt acaaaactcc agtaggcgaa
                                                                     3600
agaggagtgc agttatcagg tggacagaaa cagaggatcg cgatagcaag agctgtgctc
                                                                     3660
                                                                     3720
aagaacccta cagtgttgct tctagacgaa gcaactagcg cactagatgc agaatcagaa
                                                                     3780
tgcgtgctgc aagaggcgtt agagaggctc atgagaggtc ggaccaccgt ggtagttgct
caccgcttgt ccaccataag aggtgttgat tgcattggtg tgattcaaga cgggcggatt
                                                                     3840
                                                                     3900
gtggagcaag gcagccattc agagctcgtt agccgaccag agggagctta ttcaaggctg
ttacagette aaacacatag gatttgaage ttgateatgg attaaaaaca aaaaateggt
                                                                     3960
                                                                     4020
ttgtgtaatt ttttttatat taaaacttta atttggaaga tttctatgga ctataacgat
                                                                     4051
aatatgaata ggtgtagata atgaagcttt t
```

<210> 2 <211> 1254 <212> PRT

<213> Arabidopsis thaliana

Lys Gln Asp Val Gly Phe Phe Asp Thr Asp Ala Arg Thr Gly Asp Ile Val Phe Ser Val Ser Thr Asp Thr Leu Leu Val Gln Asp Ala Ile Ser Glu Lys Val Gly Asn Phe Ile His Tyr Leu Ser Thr Phe Leu Ala Gly Leu Val Val Gly Phe Val Ser Ala Trp Lys Leu Ala Leu Leu Ser Val Ala Val Ile Pro Gly Ile Ala Phe Ala Gly Gly Leu Tyr Ala Tyr Thr Leu Thr Gly Ile Thr Ser Lys Ser Arg Glu Ser Tyr Ala Asn Ala Gly Val Ile Ala Glu Gln Ala Ile Ala Gln Val Arg Thr Val Tyr Ser Tyr Val Gly Glu Ser Lys Ala Leu Asn Ala Tyr Ser Asp Ala Ile Gln Tyr Thr Leu Lys Leu Gly Tyr Lys Ala Gly Met Ala Lys Gly Leu Gly Leu Gly Cys Thr Tyr Gly Ile Ala Cys Met Ser Trp Ala Leu Val Phe Trp Tyr Ala Gly Val Phe Ile Arg Asn Gly Gln Thr Asp Gly Gly Lys Ala Phe Thr Ala Ile Phe Ser Ala Ile Val Gly Gly Met Ser Leu Gly Gln Ser Phe Ser Asn Leu Gly Ala Phe Ser Lys Gly Lys Ala Ala Gly Tyr Lys Leu Met Glu Ile Ile Asn Gln Arg Pro Thr Ile Ile Gln Asp Pro Leu Asp Gly Lys Cys Leu Asp Gln Val His Gly Asn Ile Glu Phe Lys Asp Val Thr Phe Ser Tyr Pro Ser Arg Pro Asp Val Met Ile Phe Arg Asn Phe Asn Ile Phe Phe Pro Ser Gly Lys Thr Val Ala Val Val Gly Gly Ser Gly Ser Gly Lys Ser Thr Val Val Ser Leu Ile Glu Arg Phe Tyr Asp Pro Asn Ser Gly Gln Ile Leu Leu Asp Gly Val Glu Ile Lys Thr Leu Gln Leu Lys Phe Leu Arg Glu Gln Ile Gly Leu Val Asn Gln Glu Pro Ala Leu Phe Ala Thr Thr Ile Leu Glu Asn Ile Leu Tyr Gly Lys Pro Asp Ala Thr Met Val Glu Val Glu Ala Ala Ala Ser Ala Ala Asn Ala His Ser Phe Ile Thr Leu Leu Pro Lys Gly Tyr Asp Thr Gln Val Gly Glu Arg Gly Val Gln Leu Ser Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala Met Leu Lys Asp Pro Lys Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Ala Ser Ser Glu Ser Ile Val Gln Glu Ala Leu Asp Arg Val Met Val Gly Arg Thr Thr Val Val Val Ala His Arg Leu Cys Thr Ile Arg Asn Val Asp Ser Ile Ala Val Ile Gln Gln Gly Gln Val Val Glu Thr Gly Thr His Glu Glu Leu Ile Ala Lys Ser Gly Ala Tyr Ala Ser Leu Ile Arg Phe Gln Glu Met Val Gly Thr Arg Asp Phe Ser Asn Pro Ser Thr Arg Arg Thr Arg Ser Thr Arg Leu Ser

	610			1		615					620				
His 625	Ser	Leu-	Ser	Thr.	Lys: 630	Ser	Leu	Ser	Leu	Arg 635	Ser	Gly	Ser	Leu	Arg 640
Asn	Leu	Ser	Tyr	Ser 645		Ser	Thr	Gly	Ala 650		Gly	Arg	Ile	Glu 655	Met
Ile	Ser	Asn	Ala 660		Thr	Asp	Arg	Lys 665	Thr	Arg	Ala	Pro	Glu 670	Asn	Tyr
	-	675					680					685		Ser	
	690					695					700			Thr	
705					710					715				Asp	720
				725			•		730					11e 735	
	-		740					745					750	Phe	
		755					760					765		Met	
	770					775					780			Glu	
785					790					795				Asp	800
-				805					810					Met 815	
		-	820					825					830	Arg	
		835					840					845,		Asn	
	850					855					860			Lys	
865		_			870					875				Ile	880
				885					890					Phe 895	
			900					905					910	Arg	
		915					920					925		Tyr	
	930					935					940			Lys	
945					950					955				Val	960
				965				-	970					11e 975	
		-	980					985					990		Gln
		995					100	0				100	5		Ile
•	101)				101	5				102	0			Arg
Pro 102		Val	Met	Val	Phe 103		Asp	Phe	Asn	Leu 103		He	Arg	Ala	Gly 1040
		Gln	Ala	Leu 104	Val		Ala	Ser	Gly 105		Gly	Lys	Ser	Ser 105	Val 5
Ile	Ala	Met	Ile 106	Glu		Phe	Tyr	Asp 106		Leu	Ala	Gly	Lys 107	Val 0	Met
716	_	~1 ··			Tla	Ara	Ara			Leu	Lys	Ser	Leu	Arg	Leu
	_	107	5			:	108	0				108	5		
	_	107 Gly	5			:	108 Glu	0				108 Ala	5		Ile

1110 1115 Ile Asp Ala Ala Arg Ala Ala Asn Ala His Gly Phe Ile Ser Gly Leu 1125 1130 Pro Glu Gly Tyr Lys Thr Pro Val Gly Glu Arg Gly Val Gln Leu Ser 1140 1145 1150 Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala Val Leu Lys Asn 1155 1160 1165 Pro Thr Val Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Ala Glu 1175 1180 Ser Glu Cys Val Leu Gln Glu Ala Leu Glu Arg Leu Met Arg Gly Arg 1190 1195 Thr Thr Val Val Val Ala His Arg Leu Ser Thr Ile Arg Gly Val Asp 1210 1205 Cys Ile Gly Val Ile Gln Asp Gly Arg Ile Val Glu Gln Gly Ser His 1220 1225 Ser Glu Leu Val Ser Arg Pro Glu Gly Ala Tyr Ser Arg Leu Leu Gln 1235 1240 Leu Gln Thr His Arg Ile 1250 <210> 3

<210> 3 <211> 1280 <212> PRT

<213> Homo sapiens

<300> <308> Genbank P08183 <309> 1997-11-01

245

<400> 3 Met Asp Leu Glu Gly Asp Arg Asn Gly Gly Ala Lys Lys Asn Phe 10 Phe Lys Leu Asn Asn Lys Ser Glu Lys Asp Lys Lys Glu Lys Lys Pro 20 Thr Val Ser Val Phe Ser Met Phe Arg Tyr Ser Asn Trp Leu Asp Lys 40 Leu Tyr Met Val Val Gly Thr Leu Ala Ala Ile Ile His Gly Ala Gly 55 60 Leu Pro Leu Met Met Leu Val Phe Gly Glu Met Thr Asp Ile Phe Ala 70 75 Asn Ala Gly Asn Leu Glu Asp Leu Met Ser Asn Ile Thr Asn Arg Ser 90 95 Asp Ile Asn Asp Thr Gly Phe Phe Met Asn Leu Glu Glu Asp Met Thr 100 105 110 Arg Tyr Ala Tyr Tyr Ser Gly Ile Gly Ala Gly Val Leu Val Ala 120 Ala Tyr Ile Gln Val Ser Phe Trp Cys Leu Ala Ala Gly Arg Gln Ile 135 His Lys Ile Arg Lys Gln Phe Phe His Ala Ile Met Arg Gln Glu Ile 150 155 Gly Trp Phe Asp Val His Asp Val Gly Glu Leu Asn Thr Arg Leu Thr 165 170 Asp Asp Val Ser Lys Ile Asn Glu Val Ile Gly Asp Lys Ile Gly Met 180 185 Phe Phe Gln Ser Met Ala Thr Phe Phe Thr Gly Phe Ile Val Gly Phe 205 195 200 Thr Arg Gly Trp Lys Leu Thr Leu Val Ile Leu Ala Ile Ser Pro Val 215 220 Leu Gly Leu Ser Ala Ala Val Trp Ala Lys Ile Leu Ser Ser Phe Thr 230 235 Asp Lys Glu Leu Leu Ala Tyr Ala Lys Ala Gly Ala Val Ala Glu Glu

250

BNSDOCID: <WO_____0018886A1_I_>

Val Leu Ala Ala Ile Arg Thr Val Ile Ala Phe Gly Gly Gln Lys Lys 265 Glu Leu Glu Arg Tyr Asn Lys Asn Leu Glu Glu Ala Lys Arg Ile Gly 280 Ile Lys Lys Ala Ile Thr Ala Asn Ile Ser Ile Gly Ala Ala Phe Leu 295 Leu Ile Tyr Ala Ser Tyr Ala Leu Ala Phe Trp Tyr Gly Thr Thr Leu 310 315 Val Leu Ser Gly Glu Tyr Ser Ile Gly Gln Val Leu Thr Val Phe Phe 330 325 Ser Val Leu Ile Gly Ala Phe Ser Val Gly Gln Ala Ser Pro Ser Ile 345 340 Glu Ala Phe Ala Asn Ala Arg Gly Ala Ala Tyr Glu Ile Phe Lys Ile 360 Ile Asp Asn Lys Pro Ser Ile Asp Ser Tyr Ser Lys Ser Gly His Lys 380 375 Pro Asp Asn Ile Lys Gly Asn Leu Glu Phe Arg Asn Val His Phe Ser 395 390 Tyr Pro Ser Arg Lys Glu Val Lys Ile Leu Lys Gly Leu Asn Leu Lys 405 410 Val Gln Ser Gly Gln Thr Val Ala Leu Val Gly Asn Ser Gly Cys Gly 420 425 Lys Ser Thr Thr Val Gln Leu Met Gln Arg Leu Tyr Asp Pro Thr Glu 445 440 435 Gly Met Val Ser Val Asp Gly Gln Asp Ile Arg Thr Ile Asn Val Arg 455 460 Phe Leu Arg Glu Ile Ile Gly Val Val Ser Gln Glu Pro Val Leu Phe 470 475 Ala Thr Thr Ile Ala Glu Asn Ile Arg Tyr Gly Arg Glu Asn Val Thr 490 485 Met Asp Glu Ile Glu Lys Ala Val Lys Glu Ala Asn Ala Tyr Asp Phe 505 Ile Met Lys Leu Pro His Lys Phe Asp Thr Leu Val Gly Glu Arg Gly 520 Ala Gln Leu Ser Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala 535 540 Leu Val Arg Asn Pro Lys Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala 550 555 Leu Asp Thr Glu Ser Glu Ala Val Val Gln Val Ala Leu Asp Lys Ala 570 565 Arg Lys Gly Arg Thr Thr Ile Val Ile Ala His Arg Leu Ser Thr Val 585 580 Arg Asn Ala Asp Val Ile Ala Gly Phe Asp Asp Gly Val Ile Val Glu 600 Lys Gly Asn His Asp Glu Leu Met Lys Glu Lys Gly Ile Tyr Phe Lys 620 615 Leu Val Thr Met Gln Thr Ala Gly Asn Glu Val Glu Leu Glu Asn Ala 630 635 Ala Asp Glu Ser Lys Ser Glu Ile Asp Ala Leu Glu Met Ser Ser Asn 650 645 Asp Ser Arg Ser Ser Leu Ile Arg Lys Arg Ser Thr Arg Arg Ser Val 665 Arg Gly Ser Gln Ala Gln Asp Arg Lys Leu Ser Thr Lys Glu Ala Leu 680 Asp Glu Ser Ile Pro Pro Val Ser Phe Trp Arg Ile Met Lys Leu Asn 695 Leu Thr Glu Trp Pro Tyr Phe Val Val Gly Val Phe Cys Ala Ile Ile 715 710 Asn Gly Gly Leu Gln Pro Ala Phe Ala Ile Ile Phe Ser Lys Ile Ile 730 Gly Val Phe Thr Arg Ile Asp Asp Pro Glu Thr Lys Arg Gln Asn Ser

```
Asn Leu Phe Ser Leu Leu Phe Leu Ala Leu Gly Ile Ile Ser Phe Ile
                          760
Thr Phe Phe Leu Gln Gly Phe Thr Phe Gly Lys Ala Gly Glu Ile Leu
Thr Lys Arg Leu Arg Tyr Met Val Phe Arg Ser Met Leu Arg Gln Asp
                   790
                                      795
Val Ser Trp Phe Asp Asp Pro Lys Asn Thr Thr Gly Ala Leu Thr Thr
                                  810
              805
Arg Leu Ala Asn Asp Ala Ala Gln Val Lys Gly Ala Ile Gly Ser Arg
           820
                              825
Leu Ala Val Ile Thr Gln Asn Ile Ala Asn Leu Gly Thr Gly Ile Ile
                          840
                                             845
Ile Ser Phe Ile Tyr Gly Trp Gln Leu Thr Leu Leu Leu Leu Ala Ile
                      855
                                          860
Val Pro Ile Ile Ala Ile Ala Gly Val Val Glu Met Lys Met Leu Ser
                                      875
                  870
Gly Gln Ala Leu Lys Asp Lys Lys Glu Leu Glu Gly Ala Gly Lys Ile
                                                      895
               885
                                  890
Ala Thr Glu Ala Ile Glu Asn Phe Arg Thr Val Val Ser Leu Thr Gln
                              905
           900
Glu Gln Lys Phe Glu His Met Tyr Ala Gln Ser Leu Gln Val Pro Tyr
                          920
                                              925
Arg Asn Ser Leu Arg Lys Ala His Ile Phe Gly Ile Thr Phe Ser Phe
                      935
                                          940
Thr Gln Ala Met Met Tyr Phe Ser Tyr Ala Gly Cys Phe Arg Phe Gly
                                    955
                  950
Ala Tyr Leu Val Ala His Lys Leu Met Ser Phe Glu Asp Val Leu Leu
                                  970
               965
Val Phe Ser Ala Val Val Phe Gly Ala Met Ala Val Gly Gln Val Ser
           980
                              985
Ser Phe Ala Pro Asp Tyr Ala Lys Ala Lys Ile Ser Ala Ala His Ile
                         1000
Ile Met Ile Ile Glu Lys Thr Pro Leu Ile Asp Ser Tyr Ser Thr Glu
                      1015
                                         1020
Gly Leu Met Pro Asn Thr Leu Glu Gly Asn Val Thr Phe Gly Glu Val
                  1030 1035
1025
Val Phe Asn Tyr Pro Thr Arg Pro Asp Ile Pro Val Leu Gln Gly Leu
                                 1050
                                                      1055
               1045
Ser Leu Glu Val Lys Lys Gly Gln Thr Leu Ala Leu Val Gly Ser Ser
                               1065
                                                  1070
Gly Cys Gly Lys Ser Thr Val Val Gln Leu Leu Glu Arg Phe Tyr Asp
                                              1085
                          1080
       1075
Pro Leu Ala Gly Lys Val Leu Leu Asp Gly Lys Glu Ile Lys Arg Leu
                      1095
                                          1100
Asn Val Gln Trp Leu Arg Ala His Leu Gly Ile Val Ser Gln Glu Pro
                  1110 1115
Ile Leu Phe Asp Cys Ser Ile Ala Glu Asn Ile Ala Tyr Gly Asp Asn
                                                      1135
               1125
                                  1130
Ser Arg Val Val Ser Gln Glu Glu Ile Val Arg Ala Ala Lýs Glu Ala
           1140
                              1145
Asn Ile His Ala Phe Ile Glu Ser Leu Pro Asn Lys Tyr Ser Thr Lys
       1155
                           1160
                                             1165
Val Gly Asp Lys Gly Thr Gln Leu Ser Gly Gly Gln Lys Gln Arg Ile
                                          1180
                      1175
    1170
Ala Ile Ala Arg Ala Leu Val Arg Gln Pro His Ile Leu Leu Leu Asp
                                      1195
                  1190
Glu Ala Thr Ser Ala Leu Asp Thr Glu Ser Glu Lys Val Val Gln Glu
               1205
                                                   1215
                                  1210
Ala Leu Asp Lys Ala Arg Glu Gly Arg Thr Cys Ile Val Ile Ala His
                              1225
                                                  1230
           1220
Arg Leu Ser Thr Ile Gln Asn Ala Asp Leu Ile Val Val Phe Gln Asn
                                              1245
                           1240
```

Gly Arg Val Lys Glu His Gly Thr His Gln Gln Leu Leu Ala Gln Lys 1250 1255 1260 Gly Ile Tyr Phe Ser Met Val Ser Val Gln Ala Gly Thr Lys Arg Gln 1265 1270 1275 1280

<210> 4 <211> 1175 <212> PRT <213> Mus musculus

<300> <308> Genbank P06795 <309> 1998-07-15

<400> 4 Ser Asn Ser Ser Leu Glu Glu Glu Met Ala Ile Tyr Ala Tyr Tyr 10 Thr Gly Ile Gly Ala Gly Val Leu Ile Val Ala Tyr Ile Gln Val Ser 20 Leu Trp Cys Leu Ala Ala Gly Arg Gln Ile His Lys Ile Arg Gln Lys 40 Phe Phe His Ala Ile Met Asn Gln Glu Ile Gly Trp Phe Asp Val His 55 Asp Val Gly Glu Leu Asn Thr Arg Leu Thr Asp Asp Val Ser Lys Ile Asn Asp Gly Ile Gly Asp Lys Ile Gly Met Phe Phe Gln Ser Ile Thr 90 Thr Phe Leu Ala Gly Phe Ile Ile Gly Phe Ile Ser Gly Trp Lys Leu 110 105 100 Thr Leu Val Ile Leu Ala Val Ser Pro Leu Ile Gly Leu Ser Ser Ala 120 115 Leu Trp Ala Lys Val Leu Thr Ser Phe Thr Asn Lys Glu Leu Gln Ala 135 140 Tyr Ala Lys Ala Gly Ala Val Ala Glu Glu Val Leu Ala Ala Ile Arg 150 155 Thr Val Ile Ala Phe Gly Gly Gln Gln Lys Glu Leu Glu Arg Tyr Asn 175 170 -165 Lys Asn Leu Glu Glu Ala Lys Asn Val Gly Ile Lys Lys Ala Ile Thr 190 180 185 Ala Ser Ile Ser Ile Gly Ile Ala Tyr Leu Leu Val Tyr Ala Ser Tyr 205 195 200 Ala Leu Ala Phe Trp Tyr Gly Thr Ser Leu Val Leu Ser Asn Glu Tyr 215 220 Ser Ile Gly Glu Val Leu Thr Val Phe Phe Ser Ile Leu Leu Gly Thr 230 235 Phe Ser Ile Gly His Leu Ala Pro Asn Ile Glu Ala Phe Ala Asn Ala 250 245 Arg Gly Ala Ala Phe Glu Ile Phe Lys Ile Ile Asp Asn Glu Pro Ser .. 260 265 Ile Asp Ser Phe Ser Thr Lys Gly Tyr Lys Pro Asp Ser Ile Met Gly 285 275. 280 Asn Leu Glu Phe Lys Asn Val His Phe Asn Tyr Pro Ser Arg Ser Glu 295 300 Val Gln Ile Leu Lys Gly Leu Asn Leu Lys Val Lys Ser Gly Gln Thr 310 315 Val Ala Leu Val Gly Asn Ser Gly Cys Gly Lys Ser Thr Thr Val Gln 325 330 Leu Met Gln Arg Leu Tyr Asp Pro Leu Glu Gly Val Val Ser Ile Asp 340 345 Gly Gln Asp Ile Arg Thr Ile Asn Val Arg Tyr Leu Arg Glu Ile Ile 355 360 Gly Val Val Ser Gln Glu Pro Val Leu Phe Ala Thr Thr Ile Ala Glu

BNSDOCID: <WO____0018886A1_1 >

Asn Ile Arg Tyr Gly Arg Glu Asp Val Thr Met Asp Glu Ile Glu Lys Ala Val Lys Glu Ala Asn Ala Tyr Asp Phe Ile Met Lys Leu Pro His Gln Phe Asp Thr Leu Val Gly Glu Arg Gly Ala Gln Leu Ser Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala Leu Val Arg Asn Pro Lys Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Thr Glu Ser Glu Ala Val Val Gln Ala Ala Leu Asp Lys Ala Arg Glu Gly Arg Thr Thr Ile Val Ile Ala His Arg Leu Ser Thr Val Arg Asn Ala Asp Val Ile Ala Gly Phe Asp Gly Gly Val Ile Val Glu Gln Gly Asn His Asp Glu Leu Met Arg Glu Lys Gly Ile Tyr Phe Lys Leu Val Met Thr Gln Thr Arg Gly Asn Glu Ile Glu Pro Gly Asn Asn Ala Tyr Gly Ser Gln Ser Asp Thr Asp Ala Ser Glu Leu Thr Ser Glu Glu Ser Lys Ser Pro Leu Ile Arg Arg Ser Ile Tyr Arg Ser Val His Arg Lys Gln Asp Gln Glu Arg Arg Leu Ser Met Lys Glu Ala Val Asp Glu Asp Val Pro Leu Val Ser Phe Trp Arg Ile Leu Asn Leu Asn Leu Ser Glu Trp Pro Tyr Leu Leu Val Gly Val Leu Cys Ala Val Ile Asn Gly Cys Ile Gln Pro Val Phe Ala Ile Val Phe Ser Arg Ile Val Gly Val Phe Ser Arg Asp Asp Asp His Glu Thr Lys Arg Gln Asn Cys Asn Leu Phe Ser Leu Phe Phe Leu Val Met Gly Leu Ile Ser Phe Val Thr Tyr Phe Phe Gln Gly Phe Thr Phe Gly Lys Ala Gly Glu Ile Leu Thr Lys Arg Val Arg Tyr Met Val Phe Lys Ser Met Leu Arg Gln Asp Ile Ser Trp Phe Asp Asp His Lys Asn Ser Thr Gly Ser Leu Thr Thr Arg Leu Ala Ser Asp Ala Ser Ser Val Lys Gly Ala Met Gly Ala Arg Leu Ala Val Val Thr Gln Asn Val Ala Asn Leu Gly Thr Gly Val Ile Leu Ser Leu Val Tyr Gly Trp Gln Leu Thr Leu Leu Leu Val Val Ile Ile Pro Leu Ile Val Leu Gly Gly Ile Ile Glu Met Lys Leu Leu Ser Gly Gln Ala Leu Lys Asp Lys Lys Gln Leu Glu Ile Ser Gly Lys Ile Ala Thr Glu Ala Ile Glu Asn Phe Arg Thr Ile Val Ser Leu Thr Arg Glu Gln Lys Phe Glu Thr Met Tyr Ala Gln Ser Leu Gln Val Pro Tyr Arg Asn Ala Met Lys Lys Ala His Val Phe Gly Ile Thr Phe Ser Phe Thr Gln Ala Met Met Tyr Phe Ser Tyr Ala Ala Cys Phe Arg Phe Gly Ala Tyr Leu Val Ala Gln Gln Leu Met Thr Phe Glu Asn Val Met Leu Val Phe Ser Ala Val Val Phe

```
865
                   870
                                       875
Gly Ala Met Ala Ala Gly Asn Thr Ser Ser Phe Ala Pro Asp Tyr Ala
                                   890
               885
Lys Ala Lys Val Ser Ala Ser His Ile Ile Arg Ile Ile Glu Lys Thr
           900
                               905
Pro Glu Ile Asp Ser Tyr Ser Thr Glu Gly Leu Lys Pro Thr Leu Leu
                           920
Glu Gly Asn Val Lys Phe Asn Gly Val Gln Phe Asn Tyr Pro Thr Arg
                       935
Pro Asn Ile Pro Val Leu Gln Gly Leu Ser Leu Glu Val Lys Lys Gly
                   950
                                       955
Gln Thr Leu Ala Leu Val Gly Ser Ser Gly Cys Gly Lys Ser Thr Val
               965
                                   970
Val Gln Leu Leu Glu Arg Phe Tyr Asp Pro Met Ala Gly Ser Val Phe
                               985
Leu Asp Gly Lys Glu Ile Lys Gln Leu Asn Val Gln Trp Leu Arg Ala
                         1000
                                               1005
His Leu Gly Ile Val Ser Gln Glu Pro Ile Leu Phe Asp Cys Ser Ile
                       1015
                                           1020
    1010
Ala Glu Asn Ile Ala Tyr Gly Asp Asn Ser Arg Ala Val Ser His Glu
                   1030
                                       1035
Glu Ile Val Arg Ala Ala Lys Glu Ala Asn Ile His Gln Phe Ile Asp
               1045
                                   1050
                                                       1055
Ser Leu Pro Asp Lys Tyr Asn Thr Arg Val Gly Asp Lys Gly Thr Gln
           1060
                               1065
                                                   1070
Leu Ser Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala Leu Val
       1075
                           1080
                                               1085
Arg Gln Pro His Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp
                       1095
                                           1100
Thr Glu Ser Glu Lys Val Val Gln Glu Ala Leu Asp Lys Ala Arg Glu
                                      1115
                  1110
Gly Arg Thr Cys Ile Val Ile Ala His Arg Leu Ser Thr Ile Gln Asn
               1125
                                   1130
                                                       1135
Ala Asp Leu Ile Val Val Ile Glu Asn Gly Lys Val Lys Glu His Gly
          1140
                               1145
Thr His Gln Gln Leu Leu Ala Gln Lys Gly Ile Tyr Phe Ser Met Val
        1155
                           1160
Gln Ala Gly Ala Lys Arg Ser
    1170
```

<210> 5

<211> 1066

<212> PRT

<213> Homo sapiens

<300>

<308> Genbank P21439

<309> 1998-07-15

<400> 5

 Trp
 Lys
 Leu
 Thr
 Leu
 Val
 Ile
 Met
 Ala
 Ile
 Ser
 Pro
 Ile
 Leu
 Gly
 Leu

 Ser
 Ala
 Ala
 Val
 Trp
 Ala
 Lys
 Ile
 Leu
 Ser
 Ala
 Phe
 Ser
 Asp
 Lys
 Glu
 Ser
 Ala
 Phe
 Ser
 Ala
 Ile
 Ala
 Ile
 Ala
 Phe
 Ile
 Ile

BNSDOCID: <WO______0018886A1 | >

Ala Ser Tyr Ala Leu Ala Phe Trp Tyr Gly Ser Thr Leu Val Ile Ser Lys Glu Tyr Thr Ile Gly Asn Ala Met Thr Val Phe Phe Ser Ile Leu Ile Gly Ala Phe Ser Val Gly Gln Ala Ala Pro Cys Ile Asp Ala Phe Ala Asn Ala Arg Gly Ala Ala Tyr Val Ile Phe Asp Ile Ile Asp Asn Asn Pro Lys Ile Asp Ser Phe Ser Glu Arg Gly His Lys Pro Asp Ser Ile Lys Gly Asn Leu Glu Phe Asn Asp Val His Phe Ser Tyr Pro Ser Arg Ala Asn Val Lys Ile Leu Lys Gly Leu Asn Leu Lys Val Gln Ser Gly Gln Thr Val Ala Leu Val Gly Ser Ser Gly Cys Gly Lys Ser Thr Thr Val Gln Leu lle Gln Arg Leu Tyr Asp Pro Asp Glu Gly Thr Ile Asn Ile Asp Gly Gln Asp Ile Arg Asn Phe Asn Val Asn Tyr Leu Arg Glu Ile Ile Gly Val Val Ser Gln Glu Pro Val Leu Phe Ser Thr Thr Ile Ala Glu Asn Ile Cys Tyr Gly Arg Gly Asn Val Thr Met Asp Glu Ile Lys Lys Ala Val Lys Glu Ala Asn Ala Tyr Glu Phe Ile Met Lys Leu Pro Gln Lys Phe Asp Thr Leu Val Gly Glu Arg Gly Ala Gln Leu Ser Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala Leu Val Arg Asn Pro Lys Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Thr Glu Ser Glu Ala Glu Val Gln Ala Ala Leu Asp Lys Ala Arg Glu Gly Arg Thr Thr Ile Val Ile Ala His Arg Leu Ser Thr Val Arg Asn Ala Asp Val Ile Ala Gly Phe Glu Asp Gly Val Ile Val Glu Gln Gly Ser His Ser Glu Leu Met Lys Lys Glu Gly Val Tyr Phe Lys Leu Val Asn Met Gln Thr Ser Gly Ser Gln Ile Gln Ser Glu Glu Phe Glu Leu Asn Asp Glu Lys Ala Ala Thr Arg Met Ala Pro Asn Gly Trp Lys Ser Arg Leu Phe Arg His Ser Thr Gln Lys Asn Leu Lys Asn Ser Gln Met Cys Gln Lys Ser Leu Asp Val Glu Thr Asp Gly Leu Glu Ala Asn Val Pro Pro Val Ser Phe Leu Lys Val Leu Lys Leu Asn Lys Thr Glu Trp Pro Tyr Phe Val Val Gly Thr Val Cys Ala Ile Ala Asn Gly Gly Leu Gln Pro Ala Phe Ser Val Ile Phe Ser Glu Ile Ile Ala Ile Phe Gly Pro Gly Asp Asp Ala Val Lys Gln Gln Lys Cys Asn Ile Phe Ser Leu Ile Phe Leu Phe Leu Gly Ile Ile Ser Phe Phe Thr Phe Phe Leu Gln Gly Phe Thr Phe Gly Lys Ala Gly Glu Ile Leu Thr Arg Arg Leu Arg Ser Met Ala Phe Lys Ala Met Leu Arg Gln Asp Met Ser Trp Phe Asp Asp

His Lys Asn Ser Thr Gly Ala Leu Ser Thr Arg Leu Ala Thr Asp Ala Ala Gln Val Gln Gly Ala Thr Gly Thr Arg Leu Ala Leu Ile Ala Gln Asn Ile Ala Asn Leu Gly Thr Gly Ile Ile Ile Ser Phe Ile Tyr Gly Trp Gln Leu Thr Leu Leu Leu Leu Ala Val Val Pro Ile Ile Ala Val Ser Gly Ile Val Glu Met Lys Leu Leu Ala Gly Asn Ala Lys Arg Asp Lys Lys Glu Leu Glu Ala Ala Gly Lys Ile Ala Thr Glu Ala Ile Glu Asn Ile Arg Thr Val Val Ser Leu Thr Gln Glu Arg Lys Phe Glu Ser Met Tyr Val Glu Lys Leu Tyr Gly Pro Tyr Arg Asn Ser Val Gln Lys Ala His Ile Tyr Gly Ile Thr Phe Ser Ile Ser Gln Ala Phe Met Tyr Phe Ser Tyr Ala Gly Cys Phe Arg Phe Gly Ala Tyr Leu Ile Val Asn Gly His Met Arg Phe Arg Asp Val Ile Leu Val Phe Ser Ala Ile Val Phe Gly Ala Val Ala Leu Gly His Ala Ser Ser Phe Ala Pro Asp Tyr Ala Lys Ala Lys Leu Ser Ala Ala His Leu Phe Met Leu Phe Glu Arg Gln Pro Leu Ile Asp Ser Tyr Ser Glu Glu Gly Leu Lys Pro Asp Lys Phe Glu Gly Asn Ile Thr Phe Asn Glu Val Val Phe Asn Tyr Pro Thr Arg Ala Asn Val Pro Val Leu Gln Gly Leu Ser Leu Glu Val Lys Lys Gly Gln Thr Leu Ala Leu Val Gly Ser Ser Gly Cys Gly Lys Ser Thr Val Val Gln Leu Leu Glu Arg Phe Tyr Asp Pro Leu Ala Gly Thr Val Leu Leu Asp Gly Gln Glu Ala Lys Lys Leu Asn Val Gln Trp Leu Arg Ala Gln Leu Gly Ile Val Ser Gln Glu Pro Ile Leu Phe Asp Cys Ser Ile Ala Glu Asn Ile Ala Tyr Gly Asp Asn Ser Arg Val Val Ser Gln Asp Glu Ile Val Ser Ala Ala Lys Ala Ala Asn Ile His Pro Phe Ile Glu Thr Leu Pro His Lys Tyr Glu Thr Arg Val Gly Asp Lys Gly Thr Gln Leu Ser Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala Leu Ile Arg Gln Pro Gln Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Thr Glu Ser Glu Lys Val Val Gln Glu Ala Leu Asp Lys Ala Arg Glu Gly Arg Thr Cys Ile Val Ile Ala His Arg Leu Ser Thr Ile Gln Asn Ala Asp Leu Ile Val Val Phe Gln Asn Gly Arg Val Lys Glu His Gly Thr His Gln Gln Leu Leu Ala Gln Lys Gly Ile Tyr Phe Ser Met Val Ser Val Gln Ala Gly Thr Gln Asn Leu

<210> 6

. 2004

<211> 1266 <212> PRT <213> Mus musculus

<300>

<308> Genbank P21440

<309> 1997-11-01

<400> 6 Trp Lys Leu Thr Leu Val Ile Met Ala Ile Ser Pro Ile Leu Gly Leu 10 Ser Thr Ala Val Trp Ala Lys Ile Leu Ser Thr Phe Ser Asp Lys Glu 20 25 Leu Ala Ala Tyr Ala Lys Ala Gly Ala Val Ala Glu Glu Ala Pro Gly 40 Ala Ile Arg Thr Val Ile Ala Phe Gly Gly Gln Asn Lys Glu Leu Glu 55 Arg Tyr Gln Lys His Leu Glu Asn Ala Lys Lys Ile Gly Ile Lys Lys 75 70 Ala Ile Ser Ala Asn Ile Ser Met Gly Ile Ala Phe Leu Leu Ile Tyr 90 Ala Ser Tyr Ala Leu Ala Phe Trp Tyr Gly Ser Thr Leu Val Ile Ser 105 100 Lys Glu Tyr Thr Ile Gly Asn Ala Met Thr Val Phe Phe Ser Ile Leu 120 115 Ile Gly Ala Phe Ser Val Gly Gln Ala Ala Pro Cys Ile Asp Ala Phe 135 140 Ala Asn Ala Arg Gly Ala Ala Tyr Val Ile Phe Asp Ile Ile Asp Asn 150 155 Asn Pro Lys Ile Asp Ser Phe Ser Glu Arg Gly His Lys Pro Asp Asn 170 Ile Lys Gly Asn Leu Glu Phe Ser Asp Val His Phe Ser Tyr Pro Ser 190 180 185 Arg Ala Asn Ile Lys Ile Leu Lys Gly Leu Asn Leu Lys Val Lys Ser 205 195 200 Gly Gln Thr Val Ala Leu Val Gly Asn Ser Gly Cys Gly Lys Ser Thr 220 215 Thr Val Gln Leu Leu Gln Arg Leu Tyr Asp Pro Thr Glu Gly Lys Ile 235 230 Ser Ile Asp Gly Gln Asp Ile Arg Asn Phe Asn Val Arg Cys Leu Arg 245 250 255 Glu Ile Ile Gly Val Val Ser Gln Glu Pro Val Leu Phe Ser Thr Thr 270 260 265 Ile Ala Glu Asn Ile Arg Tyr Gly Arg Gly Asn Val Thr Met Asp Glu 285 280 Ile Glu Lys Ala Val Lys Glu Ala Asn Ala Tyr Asp Phe Ile Met Lys 300 295 Leu Pro Gln Lys Phe Asp Thr Leu Val Gly Asp Arg Gly Ala Gln Leu 310 315 Ser Gly Gly Gln Lys Gln Arg Ile Ala Ile Ala Arg Ala Leu Val Arg 330 325 Asn Pro Lys Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Thr 345 340 Glu Ser Glu Ala Glu Val Gln Ala Ala Leu Asp Lys Ala Arg Glu Gly 360 Arg Thr Thr Ile Val Ile Ala His Arg Leu Ser Thr Ile Arg Asn Ala 380 375 370 Asp Val Ile Ala Gly Phe Glu Asp Gly Val Ile Val Glu Gln Gly Ser 395 390 His Ser Glu Leu Met Lys Lys Glu Gly Ile Tyr Phe Arg Leu Val Asn 405 410 Met Gln Thr Ala Gly Ser Gln Ile Leu Ser Glu Glu Phe Glu Ala Arg

			420					425					430		_
Ala	Leu	Val 435		Asn	Pro	Lys	Ile 440		Leu	Leu	Asp	Glu 445		Thr	Ser
Ala	Leu 450	Asp	Thr	Glu	Ser	Glu 455	Ala	Val	Val	Gln	Val 460	Ala	Leu	Asp	Lys
Ala 465	Arg	Lys	Gly	Arg	Thr 470	Thr	Ile	Val	Ile	Ala 475	His	Arg	Leu	Ser	Thr 480
	_		-	485	Val			_	490					495	
			500		Asp			505					510		
-		515			Gln.		520	-				525			
	530		_		Leu	535	_			-	540				
545					Leu 550					555					560
		_		565	Arg	•			570					575	
_			580		Arg			585				_	590	_	
		595			Gln		600		_			605			
_	610	_		_	Leu	615					620	-			
625		_			Ala 630					635					640
_				645	Gly				650					655	
_	_		660	_	Ser			665		_			670		
		675	-	•	Asn		680					685	_		
	690				Glu	695	·				700				
705					Ala 710					715					720
				725	Phe	GIĀ	PIO	GTĀ	ASP	ASP	ALG	val	րդջ	GTII	GIII
	cys	ASI		Db -	C	T	17- 1	nh -	730	~1··	T	C1 **	37-1	735	802
rne	Dh.		740		Ser			745	Leu	_		_	750	Leu	_
		Th <i>r</i> 755	740 Phe	Phe	Leu	Gln	Glý 760	745 Phe	Leu Thr	Phe	Gly	Lys 765	750 Ala	Leu Gly	Glu
Ile	Leu 770	Thr 755 Thr	740 Phe Thr	Phe Arg	Leu Leu	Gln Arg 775	Glý 760 Ser	745 Phe Met	Leu Thr Ala	Phe Phe	Gly Lys 780	Lys 765 Ala	750 Ala Met	Leu Gly Leu	Glu Arg
Ile Gln 785	Leu 770 Asp	Thr 755 Thr	740 Phe Thr Ser	Phe Arg Trp	Leu Leu Phe 790	Gln Arg 775 Asp	Glý 760 Ser Asp	745 Phe Met His	Leu Thr Ala Lys	Phe Phe Asn 795	Gly Lys 780 Ser	Lys 765 Ala Thr	750 Ala Met Gly	Leu Gly Leu Ala	Glu Arg Leu 800
Ile Gln 785 Ser	Leu 770 Asp Thr	Thr 755 Thr Met	740 Phe Thr Ser Leu	Phe Arg Trp Ala 805	Leu Leu Phe 790 Thr	Gln Arg 775 Asp Asp	Glý 760 Ser Asp	745 Phe Met His Ala	Thr Ala Lys Gln 810	Phe Phe Asn 795 Val	Gly Lys 780 Ser Gln	Lys 765 Ala Thr	750 Ala Met Gly Ala	Leu Gly Leu Ala Thr 815	Glu Arg Leu 800 Gly
Ile Gln 785 Ser Thr	Leu 770 Asp Thr	Thr 755 Thr Met Arg	740 Phe Thr Ser Leu Ala 820	Phe Arg Trp Ala 805 Leu	Leu Leu Phe 790 Thr	Gln Arg 775 Asp Asp	Gly 760 Ser Asp Ala Gln	745 Phe Met His Ala Asn 825	Leu Thr Ala Lys Gln 810 Thr	Phe Phe Asn 795 Val	Gly Lys 780 Ser Gln Asn	Lys 765 Ala Thr Gly Leu	750 Ala Met Gly Ala Gly 830	Leu Gly Leu Ala Thr 815 Thr	Glu Arg Leu 800 Gly
Ile Gln 785 Ser Thr	Leu 770 Asp Thr Lys	Thr 755 Thr Met Arg Leu Ile 835	740 Phe Thr Ser Leu Ala 820 Ser	Phe Arg Trp Ala 805 Leu Phe	Leu Phe 790 Thr Ile	Gln Arg 775 Asp Asp Ala Tyr	Gly 760 Ser Asp Ala Gln Gly 840	745 Phe Met His Ala Asn 825 Trp	Leu Thr Ala Lys Gln 810 Thr	Phe Phe Asn 795 Val Ala Leu	Gly Lys 780 Ser Gln Asn	Lys 765 Ala Thr Gly Leu Leu 845	750 Ala Met Gly Ala Gly 830 Leu	Leu Gly Leu Ala Thr 815 Thr	Glu Arg Leu 800 Gly Gly Leu
Ile Gln 785 Ser Thr Ile Ser	Leu 770 Asp Thr Lys Ile Val 850	Thr 755 Thr Met Arg Leu Ile 835 Val	740 Phe Thr Ser Leu Ala 820 Ser Pro	Phe Arg Trp Ala 805 Leu Phe	Leu Phe 790 Thr Ile Ile	Gln Arg 775 Asp Asp Ala Tyr Ala 855	Gly 760 Ser Asp Ala Gln Gly 840 Val	745 Phe Met His Ala Asn 825 Trp	Leu Thr Ala Lys Gln 810 Thr Gln	Phe Phe Asn 795 Val Ala Leu Ile	Gly Lys 780 Ser Gln Asn Thr	Lys 765 Ala Thr Gly Leu 845 Glu	750 Ala Met Gly Ala Gly 830 Leu	Leu Gly Leu Ala Thr 815 Thr Leu Lys	Glu Arg Leu 800 Gly Gly Leu Met
Ile Gln 785 Ser Thr Ile Ser Leu 865	Leu 770 Asp Thr Lys Ile Val 850 Ala	Thr 755 Thr Met Arg Leu Ile 835 Val	740 Phe Thr Ser Leu Ala 820 Ser Pro	Phe Arg Trp Ala 805 Leu Phe Phe	Leu Phe 790 Thr Ile Ile Lys 870	Gln Arg 775 Asp Asp Ala Tyr Ala 855 Arg	Gly 760 Ser Asp Ala Gln Gly 840 Val	745 Phe Met His Ala Asn 825 Trp Ala Lys	Leu Thr Ala Lys Gln 810 Thr Gln Gly Lys	Phe Phe Asn 795 Val Ala Leu Ile Glu 875	Gly Lys 780 Ser Gln Asn Thr Val 860 Met	Lys 765 Ala Thr Gly Leu 845 Glu	750 Ala Met Gly Ala Gly 830 Leu Met	Leu Gly Leu Ala Thr 815 Thr Leu Lys	Glu Arg Leu 800 Gly Gly Leu Met Gly 880
Ile Gln 785 Ser Thr Ile Ser Leu 865 Lys	Leu 770 Asp Thr Lys Ile Val 850 Ala	Thr 755 Thr Met Arg Leu Ile 835 Val Gly Ala	740 Phe Thr Ser Leu Ala 820 Ser Pro Asn Thr	Phe Arg Trp Ala 805 Leu Phe Phe Ala Glu 885	Leu Phe 790 Thr Ile Ile Lys 870 Ala	Gln Arg 775 Asp Asp Ala Tyr Ala 855 Arg	Gly 760 Ser Asp Ala Gln Gly 840 Val Asp	745 Phe Met His Ala Asn 825 Trp Ala Lys	Leu Thr Ala Lys Gln 810 Thr Gln Gly Lys Ile 890	Phe Phe Asn 795 Val Ala Leu Ile Glu 875 Arg	Gly Lys 780 Ser Gln Asn Thr Val 860 Met	Lys 765 Ala Thr Gly Leu 845 Glu Glu Val	750 Ala Met Gly Ala Gly 830 Leu Met Ala Val	Leu Gly Leu Ala Thr 815 Thr Leu Lys Ala Ser 895	Glu Arg Leu 800 Gly Gly Leu Met Gly 880 Leu
Ile Gln 785 Ser Thr Ile Ser Leu 865 Lys	Leu 770 Asp Thr Lys Ile Val 850 Ala Ile Gln	Thr 755 Thr Met Arg Leu Ile 835 Val Gly Ala Glu	740 Phe Thr Ser Leu Ala 820 Ser Pro Asn Thr	Phe Arg Trp Ala 805 Leu Phe Phe Ala Glu 885 Lys	Leu Phe 790 Thr Ile Ile Lys 870 Ala	Gln Arg 775 Asp Asp Ala Tyr Ala 855 Arg Ile Glu	Gly 760 Ser Asp Ala Gln Gly 840 Val Asp Glu Ser	745 Phe Met His Ala Asn 825 Trp Ala Lys Asn Met 905	Leu Thr Ala Lys Gln 810 Thr Gln Gly Lys Ile 890 Tyr	Phe Phe Asn 795 Val Ala Leu Ile Glu 875 Arg Val	Gly Lys 780 Ser Gln Asn Thr Val 860 Met Thr	Lys 765 Ala Thr Gly Leu 845 Glu Glu Val Lys	750 Ala Met Gly Ala Gly 830 Leu Met Ala Val Leu 910	Leu Gly Leu Ala Thr 815 Thr Leu Lys Ala Ser 895 His	Glu Arg Leu 800 Gly Gly Leu Met Gly 880 Leu Gly

```
920
       915
Ser Ile Ser Gln Ala Phe Met Tyr Phe Ser Tyr Ala Gly Cys Phe Arg
                      935
                                         940
Phe Gly Ser Tyr Leu Ile Val Asn Gly His Met Arg Phe Lys Asp Val
                                     955
                  950
Ile Leu Val Phe Ser Ala Ile Val Leu Gly Ala Val Ala Leu Gly His
                                 970
              965
Ala Ser Ser Phe Ala Pro Asp Tyr Ala Lys Ala Lys Leu Ser Ala Ala
                              985
           980
Tyr Leu Phe Ser Leu Phe Glu Arg Gln Pro Leu Ile Asp Ser Tyr Ser
                                      1005
                          1000
Gly Glu Gly Leu Trp Pro Asp Lys Phe Glu Gly Ser Val Thr Phe Asn
            1015
                                         1020
   1010
Glu Val Val Phe Asn Tyr Pro Thr Arg Ala Asn Val Pro Val Leu Gln
                 1030
                                     1035
Gly Leu Ser Leu Glu Val Lys Lys Gly Gln Thr Leu Ala Leu Val Gly
                                                    1055
                                 1050
              1045
Ser Ser Gly Cys Gly Lys Ser Thr Val Val Gln Leu Leu Glu Arg Phe
                              1065
                                                 1070
           1060
Tyr Asp Pro Met Ala Gly Ser Val Leu Leu Asp Gly Gln Glu Ala Lys
                                   1085
       1075
                          1080
Lys Leu Asn Val Gin Trp Leu Arg Ala Gln Leu Gly Ile Val Ser Gin
                      1095
                                         1100
Glu Pro Ile Leu Phe Asp Cys Ser Ile Ala Glu Asn Ile Ala Tyr Gly
                  1110
                                     1115
Asp Asn Ser Arg Val Val Pro His Asp Glu Ile Val Arg Ala Ala Lys
                                 1130
                                                    1135
               1125
Glu Ala Asn Ile His Pro Phe Ile Glu Thr Leu Pro Gln Lys Tyr Asn
                                                 1150
                             1145
           1140
Thr Arg Val Gly Asp Lys Gly Thr Gln Leu Ser Gly Gly Gln Lys Gln
                          1160
                                             1165
     1155
Arg Ile Ala Ile Ala Arg Ala Leu Ile Arg Gln Pro Arg Val Leu Leu
                      1175
                                       : 1180
Leu Asp Glu Ala Thr Ser Ala Leu Asp Thr Glu Ser Glu Lys Val Val
                 1190
                                     1195
Gln Glu Ala Leu Asp Lys Ala Arg Glu Gly Arg Thr Cys Ile Val Ile
                                                    1215
                                 1210
              1205
Ala His Arg Leu Ser Thr Ile Gln Asn Ala Asp Leu Ile Val Val Ile
                              1225
                                                 1230
           1220
Glu Asn Gly Lys Val Lys Glu His Gly Thr His Gln Gln Leu Leu Ala
      1235
                          1240
                                             1245
Gln Lys Gly Ile Tyr Phe Ser Met Val Asn Ile Gln Ala Gly Thr Gln
                   1255
                                         1260
   1250
Asn Leu
1265
     <210> 7
     <211> 1207
      <212> PRT
     <213> Arabidopsis thaliana
     <300>
      <308> Genbank A42150
```

<309> 1997-03-13

Glu Lys Met Met Glu Glu Val Leu Lys Tyr Ala Leu Tyr Phe Leu Val

Val Gly Ala Ala Ile Trp Ala Ser Ser Trp Ala Glu Ile Ser Cys Trp

Met Trp Ser Gly Glu Arg Gln Thr Thr Lys Met Arg Ile Lys Tyr Leu

Glu Ala Ala Leu Asn Gln Asp Ile Gln Phe Phe Asp Thr Glu Val Arg Thr Ser Asp Val Val Phe Ala Ile Asn Thr Asp Ala Val Met Val Gln Asp Ala Ile Ser Glu Lys Leu Gly Asn Phe Ile His Tyr Met Ala Thr 90 Phe Val Ser Gly Phe Ile Val Gly Phe Thr Ala Val Trp Gln Leu Ala 105 100 Leu Val Thr Leu Ala Val Val Pro Leu Ile Ala Val Ile Gly Gly Ile 125 120 His Thr Thr Thr Leu Ser Lys Leu Ser Asn Lys Ser Gln Glu Ser Leu 140 135 Ser Gln Ala Gly Asn Ile Val Glu Gln Thr Val Val Gln Ile Arg Val 155 150 Val Met Ala Phe Val Gly Glu Ser Arg Ala Ser Gln Ala Tyr Ser Ser 170 165 Ala Leu Lys Ile Ala Gln Lys Leu Gly Tyr Lys Thr Gly Leu Ala Lys 185 Gly Met Gly Leu Gly Ala Thr Tyr Phe Val Val Phe Cys Cys Tyr Ala 200 195 Leu Leu Leu Trp Tyr Gly Gly Tyr Leu Val Arg His His Leu Thr Asn 220 215 Gly Gly Leu Ala Ile Ala Thr Met Phe Ala Val Met Ile Gly Gly Leu 230 235 Ala Leu Gly Gln Ser Ala Pro Ser Met Ala Ala Phe Ala Lys Ala Lys 250 245 Val Ala Ala Ala Lys Ile Phe Arg Ile Ile Asp His Lys Pro Thr Ile 260 265 Glu Arg Asn Ser Glu Ser Gly Val Glu Leu Asp Ser Val Thr Gly Leu 280 Val Glu Leu Lys Asn Val Asp Phe Ser Tyr Pro Ser Arg Pro Asp Val 300 295 Lys Ile Leu Asn Asn Phe Cys Leu Ser Val Pro Ala Gly Lys Thr Ile 310 315 Ala Leu Val Gly Ser Ser Gly Ser Gly Lys Ser Thr Val Val Ser Leu 330 325 Ile Glu Arg Phe Tyr Asp Pro Asn Ser Gly Gln Val Leu Leu Asp Gly 340 Gln Asp Leu Lys Thr Leu Lys Leu Arg Trp Leu Arg Gln Gln Ile Gly 365 360 Leu Val Ser Gln Glu Pro Ala Leu Phe Ala Thr Ser Ile Lys Glu Asn 380 375 Ile Leu Leu Gly Arg Pro Asp Ala Asp Gln Val Glu Ile Glu Glu Ala 395 390 Ala Arg Val Ala Asn Ala His Ser Phe Ile Ile Lys Leu Pro Asp Gly 410 Phe Asp Thr Gln Val Gly Glu Arg Gly Leu Gln Leu Ser Gly Gly Gln 425 420 Lys Gln Arg Ile Ala Ile Ala Arg Ala Met Leu Lys Asn Pro Ala Ile 440 Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Ser Glu Ser Glu Lys 460 455 Leu Val Gln Glu Ala Leu Asp Arg Phe Met Ile Gly Arg Thr Thr Leu 470 475 Ile Ile Ala His Arg Leu Ser Thr Ile Arg Lys Ala Asp Leu Val Ala 495 490 485 Val Leu Gln Gln Gly Ser Val Ser Glu Ile Gly Thr His Asp Glu Leu 500 505 Phe Ser Lys Gly Glu Asn Gly Val Tyr Ala Lys Leu Ile Lys Met Gln 520 Glu Ala Ala His Glu Thr Ala Met Ser Asn Ala Arg Lys Ser Ser Ala Arg Pro Ser Ser Ala Arg Asn Ser Val Ser Ser Pro Ile Met Thr Arg Asn Ser Ser Tyr Gly Arg Ser Pro Tyr Ser Arg Arg Leu Ser Asp Phe Ser Thr Ser Asp Phe Ser Leu Ser Ile Asp Ala Ser Ser Tyr Pro Asn Tyr Arg Asn Glu Lys Leu Ala Phe Lys Asp Gln Ala Asn Ser Phe Trp Arg Leu Ala Lys Met Asn Ser Pro Glu Trp Lys Tyr Ala Leu Leu Gly Ser Val Gly Ser Val Ile Cys Gly Ser Leu Ser Ala Phe Phe Ala Tyr Val Leu Ser Ala Val Leu Ser Val Tyr Tyr Asn Pro Asp His Glu Tyr Met Ile Lys Gln Ile Asp Lys Tyr Cys Tyr Leu Leu Ile Gly Leu Ser Ser Ala Ala Leu Val Phe Asn Thr Leu Gln His Ser Phe Trp Asp Ile Val Gly Glu Asn Leu Thr Lys Arg Val Arg Glu Lys Met Leu Ser Ala Val Leu Lys Asn Glu Met Ala Trp Phe Asp Gln Glu Glu Asn Glu Ser Ala Arg Ile Ala Ala Arg Leu Ala Leu Asp Ala Asn Asn Val Arg Ser Ala Ile Gly Asp Arg Ile Ser Val Ile Val Gln Asn Thr Ala Leu Met Leu Val Ala Cys Thr Ala Gly Phe Val Leu Gln Trp Arg Leu Ala Leu Val Leu Val Ala Val Phe Pro Val Val Val Ala Ala Thr Val Leu Gin Lys Met Phe Met Thr Gly Phe Ser Gly Asp Leu Glu Ala Ala His Ala Lys Gly Thr Gln Leu Ala Gly Glu Ala Ile Ala Asn Val Arg Thr Val Ala Ala Phe Asn Ser Glu Ala Lys Ile Val Arg Leu Tyr Thr Ala Asn Leu Glu Pro Pro Leu Lys Arg Cys Phe Trp Lys Gly Gln Ile Ala Gly Ser Gly Tyr Gly Val Ala Gln Phe Cys Leu Tyr Ala Ser Tyr Ala Leu Gly Leu Trp Tyr Ala Ser Trp Leu Val Lys His Gly Ile Ser Asp Phe Ser Lys Thr Ile Arg Val Phe Met Val Leu Met Val Ser Ala Asn Gly Ala Ala Glu Thr Leu Thr Leu Ala Pro Asp Phe Ile Lys Gly Gly Gln Ala Met Arg Ser Val Phe Glu Leu Leu Asp Arg Lys Thr Glu Ile Glu -920 .925 Pro Asp Asp Pro Asp Thr Thr Pro Val Pro Asp Arg Leu Arg Gly Glu Val Glu Leu Lys His Ile Asp Phe Ser Tyr Pro Ser Arg Pro Asp Ile Gln Ile Phe Arg Asp Leu Ser Leu Arg Ala Arg Ala Gly Lys Thr Leu Ala Leu Val Gly Pro Ser Gly Cys Gly Lys Ser Ser Val Ile Ser Leu Ile Gln Arg Phe Tyr Glu Pro Ser Ser Gly Arg Val Met Ile Asp Gly Lys Asp Ile Arg Lys Tyr Asn Leu Lys Ala Ile Arg Lys His Ile Ala Ile Val Pro Gln Glu Pro Cys Leu Phe Gly Thr Thr Ile Tyr Glu Asn

Ile Ala Tyr Gly His Glu Cys Ala Thr Glu Ala Glu Ile Ile Gln Ala 1050 1045 Ala Thr Leu Ala Ser Ala His Lys Phe Ile Ser Ala Leu Pro Glu Gly 1065 1070 Tyr Lys Thr Tyr Val Gly Glu Arg Gly Val Gln Leu Ser Gly Gly Gln 1085 1080 Lys Gln Arg Ile Ala Ile Ala Arg Ala Leu Val Arg Lys Ala Glu Ile 1100 1095 Met Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Ala Glu Ser Glu Arg 1110 1115 Ser Val Gln Glu Ala Leu Asp Gln Ala Cys Ser Gly Arg Thr Ser Ile 1130 1125 Val Val Ala His Arg Leu Ser Thr Ile Arg Asn Ala His Val Ile Ala 1145 1140 Val Ile Asp Asp Gly Lys Val Ala Glu Gln Gly Ser His Ser His Leu 1165 1160 1155 Leu Lys Asn His Pro Asp Gly Ile Tyr Ala Arg Met Ile Gln Leu Gln 1175 1180 1170 Arg Phe Thr His Thr Gln Val Ile Gly Met Thr Ser Gly Ser Ser Ser 1190 1195 Arg Val Lys Glu Asp Asp Ala 1205

> <210> 8 <211> 1161 <212> PRT

<300>

<213> Arabidopsis thaliana

<308> Genbank CAA71277 <309> 1997-05-19

<400> 8 Lys Gln Ala Ser His Arg Val Ala Lys Tyr Ser Leu Asp Phe Val Tyr 10 Leu Ser Val Ala Ile Leu Phe Ser Ser Trp Leu Glu Val Ala Cys Trp 25 20 Met His Thr Gly Glu Arg Gln Ala Ala Lys Met Arg Arg Ala Tyr Leu 45 Arg Ser Met Leu Ser Gln Asp Ile Ser Leu Phe Asp Thr Glu Ala Ser 60 55 Thr Gly Glu Val Ile Ser Ala Ile Thr Ser Asp Ile Leu Val Val Gln 70 Asp Ala Leu Ser Glu Lys Val Gly Asn Phe Leu His Tyr Ile Ser Arg 85 90 Phe Ile Ala Gly Phe Ala Ile Gly Phe Thr Ser Val Trp Gln Ile Ser 110 100 105 Leu Val Thr Leu Ser Ile Val Pro Leu Ile Ala Leu Ala Gly Gly Ile 120 115 Tyr Ala Phe Val Ala Ile Gly Leu Ile Ala Arg Val Arg Lys Ser Tyr 140 135 Ile Lys Ala Gly Glu Ile Ala Glu Glu Val Ile Gly Asn Val Arg Thr 150 155 Val Gln Ala Phe Thr Gly Glu Glu Arg Ala Val Arg Leu Tyr Arg Glu 170 165 Ala Leu Glu Asn Thr Tyr Lys Tyr Gly Arg Lys Ala Gly Leu Thr Lys 185 180 Gly Leu Gly Leu Gly Ser Met His Cys Val Leu Phe Leu Ser Trp Ala 200 Leu Leu Val Trp Phe Thr Ser Val Val Val His Lys Asp Ile Ala Asp 220 215 Gly Gly Lys Ser Phe Thr Thr Met Leu Asn Val Val Ile Ala Gly Leu

BNSDCCID: <WO____0018886A1_I_>

225				•	230					235					240
Ser	Leu	Gly	Gln	Ala 245		Pro	Asp	Ile	Ser 250		Phe	Val	Arg	Ala 255	
Ala	Ala	Ala	Tyr 260		Ile	Phe	Lys	Met 265		Gļu	Arg	Asn	Thr 270	Val	Thr
Lys	Thr	Ser 275	Ala	Lys	Ser	Gly	Arg 280	Lys	Leu	Gly	Lys	Val 285	Asp	Gly	His
	290		-	_		295				•	300			Asp	
305		-	_		310					315				Ile	320
				325					330					Ser 335	
		=	340	_				345					350	Asp	
		355					360					365		Ile	
	370					375					380			Glu	
385		_	-		390					395			-	Arg	400
	_			405					410					Glu 415	
			420		_			425					430	Gly Ser	
_		435					440					445		Glu	
	450		_			455					460			Thr	
465					470					475				Ile	480
	•			485					490					495 Asn	
			500					505					510	Gln	
		515					520					525		Ser	
	530				·-	535					54Ó				
545					T A T	Ser	Ara	Glu	Leu	Ser	Arg	Thr	Arg	Ser	Ser
	CVS	Ser	Glu	-	550					555					560
Ser				Arg 565	550 Glu	Ser	Val	Thr	Arg 570	555 Pro	Asp	Gly	Ala	Asp 575	560 Pro
	Lys	Lys	Val 580	Arg 565 Lys	550 Glu Val	Ser Thr	Val Val	Thr Gly 585	Arg 570 Arg	555 Pro Leu	Asp Tyr	Gly Ser	Ala Met 590	Asp 575 Ile	560 Pro Arg
Pro	Lys Asp	Lys Trp 595	Val 580 Met	Arg 565 Lys Tyr	550 Glu Val Gly	Ser Thr Val	Val Val Cys 600	Thr Gly 585 Gly	Arg 570 Arg Thr	555 Pro Leu Ile	Asp Tyr Cys	Gly Ser Ala 605	Ala Met 590 Phe	Asp 575 Ile Ile	560 Pro Arg Ala
Pro	Lys Asp Ser 610	Lys Trp 595 Gln	Val 580 Met Met	Arg 565 Lys Tyr Pro	550 Glu Val Gly Leu	Ser Thr Val Phe 615	Val Val Cys 600 Ala	Thr Gly 585 Gly Leu	Arg 570 Arg Thr	555 Pro Leu Ile Val	Asp Tyr Cys Ser 620	Gly Ser Ala 605 Gln	Ala Met 590 Phe Ala	Asp 575 Ile Ile Leu	Fro Arg Ala Val
Pro Gly Ser 625	Lys Asp Ser 610 Tyr	Lys Trp 595 Gln Tyr	Val 580 Met Met	Arg 565 Lys Tyr Pro	550 Glu Val Gly Leu Trp 630	Ser Thr Val Phe 615 Asp	Val Val Cys 600 Ala Glu	Thr Gly 585 Gly Leu Thr	Arg 570 Arg Thr Gly	Fro Leu Ile Val Lys 635	Asp Tyr Cys Ser 620 Glu	Gly Ser Ala 605 Gln Ile	Ala Met 590 Phe Ala Lys	Asp 575 Ile Ile Leu Lys	560 Pro Arg Ala Val Ile 640
Gly Ser 625 Ala	Lys Asp Ser 610 Tyr	Lys Trp 595 Gln Tyr	Val 580 Met Met Ser	Arg 565 Lys Tyr Pro Gly Cys 645	S50 Glu Val Gly Leu Trp 630 Cys	Ser Thr Val Phe 615 Asp	Val Val Cys 600 Ala Glu Ser	Thr Gly 585 Gly Leu Thr Val	Arg 570 Arg Thr Gly Gln Ile 650	Fro Leu Ile Val Lys 635 Thr	Asp Tyr Cys Ser 620 Glu Leu	Gly Ser Ala 605 Gln Ile Ile	Ala Met 590 Phe Ala Lys Val	Asp 575 Ile Ile Leu	560 Pro Arg Ala Val Ile 640 Thr
Pro Gly Ser 625 Ala Ile	Lys Asp Ser 610 Tyr Ile Glu	Lys Trp 595 Gln Tyr Leu His	Val 580 Met Met Ser Phe Ile 660	Arg 565 Lys Tyr Pro Gly Cys 645 Cys	S50 Glu Val Gly Leu Trp 630 Cys	Ser Thr Val Phe 615 Asp Ala Gly	Val Val Cys 600 Ala Glu Ser	Thr Gly 585 Gly Leu Thr Val Met 665	Arg 570 Arg Thr Gly Gln Ile 650 Gly	Fro Leu Ile Val Lys 635 Thr	Asp Tyr Cys Ser 620 Glu Leu Arg	Gly Ser Ala 605 Gln Ile Ile	Ala Met 590 Phe Ala Lys Val Thr 670	Asp 575 Ile Ile Leu Lys Tyr 655	560 Pro Arg Ala Val Ile 640 Thr
Pro Gly Ser 625 Ala Ile Val	Lys Asp Ser 610 Tyr Ile Glu Arg	Lys Trp 595 Gln Tyr Leu His Glu 675	Val 580 Met Met Ser Phe 11e 660 Asn	Arg 565 Lys Tyr Pro Gly Cys 645 Cys	S50 Glu Val Gly Leu Trp 630 Cys Phe	Ser Thr Val Phe 615 Asp Ala Gly Arg	Val Val Cys 600 Ala Glu Ser Thr	Thr Gly 585 Gly Leu Thr Val Met 665 Ile	Arg 570 Arg Thr Gly Gln Ile 650 Gly Leu	Deu Leu Ile Val Lys 635 Thr Glu Lys	Asp Tyr Cys Ser 620 Glu Leu Arg	Gly Ser Ala 605 Gln Ile Ile Leu Glu 685	Ala Met 590 Phe Ala Lys Val Thr 670 Ile	Asp 575 Ile Ile Leu Lys Tyr 655 Leu	560 Pro Arg Ala Val Ile 640 Thr
Pro Gly Ser 625 Ala Ile Val	Lys Asp Ser 610 Tyr Ile Glu Arg Asp 690	Lys Trp 595 Gln Tyr Leu His Glu 675 Glu	Val 580 Met Met Ser Phe Ile 660 Asn	Arg 565 Lys Tyr Pro Gly Cys 645 Cys Met	S50 Glu Val Gly Leu Trp 630 Cys Phe Phe	Ser Thr Val Phe 615 Asp Ala Gly Arg Thr 695	Val Val Cys 600 Ala Glu Ser Thr Ala 680 Ser	Thr Gly 585 Gly Leu Thr Val Met 665 Ile Ser	Arg 570 Arg Thr Gly Gln Ile 650 Gly Leu Met	555 Pro Leu Ile Val Lys 635 Thr Glu Lys Leu	Asp Tyr Cys Ser 620 Glu Leu Arg Asn Ala 700	Gly Ser Ala 605 Gln Ile Ile Leu Glu 685 Ser	Ala Met 590 Phe Ala Lys Val Thr 670 Ile	Asp 575 Ile Ile Leu Lys Tyr 655 Leu Gly	560 Pro Arg Ala Val Ile 640 Thr Arg

725 730 Ile Leu Asn Trp Arg Leu Thr Leu Val Val Leu Ala Thr Tyr Pro Leu 745 740 Val Ile Ser Gly His Ile Ser Glu Lys Leu Phe Met Gln Gly Tyr Gly 760 Gly Asp Leu Asn Lys Ala Tyr Leu Lys Ala Asn Met Leu Ala Gly Glu 775 Ser Val Ser Asn Ile Arg Thr Val Ala Ala Phe Cys Ala Glu Glu Lys 790 795 Ile Leu Glu Leu Tyr Ser Arg Glu Leu Leu Glu Pro Ser Lys Ser Ser 805 810 Phe Arg Arg Gly Gln Ile Ala Gly Leu Phe Tyr Gly Val Ser Gln Phe 825 820 Phe Ile Phe Ser Ser Tyr Gly Leu Ala Leu Trp Tyr Gly Ser Thr Leu 845 840 Met Asp Lys Gly Leu Ala Gly Phe Lys Ser Val Met Lys Thr Phe Met 855 Val Leu Ile Val Thr Ala Leu Ala Met Gly Glu Thr Leu Ala Leu Ala 875 870 Pro Asp Leu Leu Lys Gly Asn Gln Met Val Ala Ser Val Phe Glu Ile 890 885 Leu Asp Arg Lys Thr Gln Ile Val Gly Glu Thr Ser Glu Glu Leu Asn 905 Asn Val Glu Gly Thr Ile Glu Leu Lys Gly Val His Phe Ser Tyr Pro 920 925 Ser Arg Pro Asp Val Val Ile Phe Arg Asp Phe Asp Leu Ile Val Arg 935 Ala Gly Lys Ser Met Ala Leu Val Gly Gln Ser Gly Ser Gly Lys Ser 955 950 Ser Val Ile Ser Leu Ile Leu Arg Phe Tyr Asp Pro Thr Ala Gly Lys 965 970 Val Met Ile Glu Gly Lys Asp Ile Lys Lys Leu Asp Leu Lys Ala Leu 990 985 980 Arg Lys His Ile Gly Leu Val Gln Gln Glu Pro Ala Leu Phe Ala Thr 1000 1005 Thr Ile Tyr Glu Asn Ile Leu Tyr Gly Asn Glu Gly Ala Ser Gln Ser 1015 1020 Glu Val Val Glu Ser Ala Met Leu Ala Asn Ala His Ser Phe Ile Thr 1035 1030 Ser Leu Pro Glu Gly Tyr Ser Thr Lys Val Gly Glu Arg Gly Val Gln 1045 1050 Met Ser Gly Gly Gln Arg Gln Arg Ile Ala Ile Ala Arg Ala Ile Leu 1070 1065 1060 Lys Asn Pro Ala Ile Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp 1080 Val Glu Ser Glu Arg Val Val Gln Gln Ala Leu Asp Arg Leu Met Ala 1095 1100 Asn Arg Thr Thr Val Val Val Ala His Arg Leu Ser Thr Ile Lys Asn 1115 1110 Ala Asp Thr Ile Ser Val Leu His Gly Gly Lys Ile Val Glu Gln Gly 1125 1130 Ser His Arg Lys Leu Val Leu Asn Lys Ser Gly Pro Tyr Phe Lys Leu 1150 1140 1145 Ile Ser Leu Gln Gln Gln Gln Pro

1160

<210> 9

<211> 986

1155

<212> PRT

<213> Artificial Sequence

<220>

<223> synthetic consensus sequence

<400> 9 Met Asp Glu Gly Ala Leu Ser Asp Arg Lys Lys Val Gly Val Leu 10 Phe Arg Tyr Ala Asp Trp Asp Lys Leu Met Leu Gly Thr Leu Ala Ala 25 Ile Ile His Gly Ser Leu Pro Leu Met Met Ile Val Phe Gly Glu Met Thr Asp Phe Ala Ser Lys Leu Glu Glu Glu Met Thr Arg Tyr Ala Tyr Tyr Tyr Ser Gly Leu Gly Ala Gly Val Leu Val Ala Tyr Ile Gln Val Ser Trp Leu Ala Ala Gly Arg Gln Ile Arg Lys Ile Arg Lys Phe Phe His Ala Ile Leu Arg Gln Glu Ile Gly Trp Phe Asp Ile Thr Gly Glu 105 Leu Asn Thr Arg Leu Thr Asp Asp Ile Ser Lys Ile Asn Asp Gly Ile 120 115 Gly Asp Lys Val Gly Met Phe Phe Gln Val Ala Thr Phe Leu Ala Gly 135 Phe Ile Val Gly Phe Ile Gly Trp Lys Leu Thr Leu Val Ile Leu Ala 155 150 Ile Ser Pro Ile Ile Gly Leu Ser Ala Ala Val Trp Ala Lys Ile Leu 170 165 Ser Phe Ser Lys Glu Leu Ala Tyr Ala Lys Ala Gly Ala Val Ala Glu 185 190 Glu Leu Gly Ala Ile Arg Thr Val Ile Ala Phe Gly Gly Gln Lys Glu 205 200 Leu Glu Arg Tyr Gln Lys Leu Glu Ala Lys Lys Ile Gly Ile Lys Lys 220 215 Ala Ile Ser Ala Ile Ser Met Gly Ala Phe Leu Leu Ile Tyr Ala Ser 235 230 Tyr Ala Leu Ala Phe Trp Tyr Gly Ser Thr Leu Val Ile Ser Glu Tyr 250 245 Thr Ile Gly Ala Met Thr Val Phe Phe Ser Ile Leu Ile Gly Ala Phe 265 260 Ser Val Gly Gln Ala Ala Pro Ile Asp Ala Phe Ala Asn Ala Arg Gly 280 285 Ala Ala Tyr Ile Phe Lys Ile Ile Asp Asn Pro Ser Ile Asp Ser Phe 300 295 Ser Gly His Lys Pro Asp Ile Lys Gly Asn Leu Glu Phe Lys Asp Val 310 315 His Phe Ser Tyr Pro Ser Arg Glu Val Lys Ile Leu Lys Gly Leu Asn 330 Leu Lys Val Ser Gly Gln Thr Val Ala Leu Val Gly Ser Gly Cys Gly 350 340 345 Lys Ser Thr Thr Val Gln Leu Ile Gln Arg Leu Tyr Asp Pro Glu Gly 360 Val Ile Asp Gly Gln Asp Ile Arg Thr Ile Asn Val Arg Tyr Leu Arg 375 380 Glu Ile Ile Gly Val Val Ser Gln Glu Pro Val Leu Phe Ala Thr Thr 390 395 Ile Ala Glu Asn Ile Tyr Gly Arg Asp Val Thr Met Asp Glu Ile Glu 410 405 Lys Ala Val Lys Glu Ala Asn Ala Tyr Glu Phe Ile Met Lys Leu Pro Phe Asp Thr Leu Val Gly Glu Arg Gly Ala Gln Leu Ser Gly Gly Gln 435 440 Lys Gln Arg Ile Ala Ile Ala Arg Ala Leu Val Arg Asn Pro Lys Ile 455 Leu Leu Leu Asp Glu Ala Thr Ser Ala Leu Asp Thr Glu Ser Glu Ala

465					470					475			•		480
Val	Val	Gln	Ala	Leu 485	Asp	Lys	Ala	Arg	Gly 490	Arg	Thr	Thr	Ile	Val 495	Ile
Ala	His	Arg	Leu 500	Ser	Thr	Val	Arg	Asn 505	Ala	Asp	Val	Ile	Ala 510	Gly	Phe
	_	515			Val		520					525			
_	530	_			Leu	535					540				
545					Ser 550					555					560
				565	Val				570		•			575	
	_		580		Ala			585		-			590	•	
		595			Ala		600					605			
	610				Ile	615					620				
625					Asp 630					635					640
				645	Ile Pro				650					655	
			660		Ser	-	_	665			_	_	670		
_	_	675			Gly		680					685			
	690				Ala	695					700				
705					710 Asp					715					720
				725	Pro				730					735	
			740		Val			745					750		
		755			Ser		760					765			
Leu	770 Val	Gly	Ser	Ser	Gly	775 Cys	Gly	Lys	Ser	Thr	780 Val	Val	Gln	Leu	
785 Glu	Arg	Phe	Tyr	Asp	790 Pro	Leu	Alà	Gly		795 Val	Leu	Leu	Asp		800 Lys
Glu	Ile	Lys		805 Leu	Asn	Val					Ala	His		815 Gly	Ile
Val	Ser			Pro	Ile	Leu	Phe		Суз		Ile		Glu Glu	Asn	Ile
Ala		835 Gly		Asn	Ser			Ser	Asp	Glu	Ile 860	845 Val	Ala	Ala	Lys
_	850 Asn	Ile	His	Phe	Ile 870	855 Glu		Leu	Pro	Asp 875		Tyr	Thr	Arg	Val 880
865 Gly	Asp	Lys	Gly	Thr 885	Gln	Leu	Ser	Gly	Gly 890	Gln	Lys	Gln	Arg	Ile 895	
Ala	Ile	Ala	Arg 900		Leu	Ile	Arg	Gln 905	Pro		Leu	Leu	Leu 910		Glu
Ala	Thr	Ser 915	Ala	Leu	Asp	Thr	Glu 920			Lys	Val	Val 925		G1u	Ala
Leu	Asp 930			Arg	Glu	Gly 935	Arg	Thr	Суз	Ile	Val 940	Ile	Ala	His	Arg
Leu 945		Thr	Ile	Gln	Asn 950	Ala	Asp	Leu	Ile	Val 955	Val	Ile	Asn	Gly	Lys 960
17-1	T.170	G1 **	Wie	G) 17	ም ክ ድ	Hic	Gln	Gin	T.011	T.e.	Ala	Gln	T.VS	Glv	Tle

23.

```
970
                                                         975
                 965
Tyr Phe Ser Met Val Val Gln Ala Gly Thr
       <210> 10
       <211> 14000
       <212> DNA
       <213> Arabidopsis thaliana
       <220>
       <221> misc feature
       <222> (3429)...(0)
       <223> Translation start codon
       <300>
       <308> Genbank AP000386
       <309> 1999-08-03
       <400> 10
caattaatta tatcaaaatt togtatatca tttaaaaatto atcactgatt tttgtttaga
                                                                        60
aaaaaagata gatagctatg gacatgacgt cgaattttaa tatatcctat gtaacagtgt
                                                                      120
tcatataatc aaaaaagaaa aaataattac tattgtttgt gttctttgca acaatgcgtt
                                                                      180
agaaactegg agaccaettg ttttttetet tatgattteg etteagtatg atttagcaaa
                                                                      240
gcatctctac ggtacaaaat atcttacgaa ttgacatgat ctgatccaca ctatatcaag
                                                                      300
                                                                      360
gagttagaaa gacagaactg aaagcttctt agctcgatat gtatttcaag ctacggttca
caccatctag ggagacaaga atggaagaag gcatgacgtc aagtcgaact atgcagctct
                                                                       420
cttacttaaa tqqqtcqaca aacaaatacq qaaccaacta tcatccattc gagcaagcgg
                                                                       480
                                                                      540
tgataggtgg tatgactaag gtctctaaat ttggtttacg gcgaaaaatt aattgatcaa
                                                                       600
aaaatttttg gtttagtgtt ttaagatctt tttcaaaaaa acgttgtatt tgatgtataa
acgctatttc tttttgaaat taatttaata ttatttttgt ttgaaaagaa gaagaaacat
                                                                       660
                                                                      720
aattcaaaca atccctatct ttaatgttcc aacatcttaa taaatacata attaaaactc
                                                                      780
tacgatcaat actacacttc tgacgattat taaatcgcat cgtcgtacac tattattaca
                                                                      840
aagaccgttc tatctacatt aatattcttt atatattttt ttttttcatt ttttgagatt
                                                                      900
gttggagtat atatccttag attttcttgt atataaaaat agataattat aatgggataa
acgaaacatc gttgaagccg tgaagtggca ttggtctaca ccagagcaac acaaaaagac
                                                                      960
                                                                      1020
aaccacttca catggtctgc tcttacattc ataaccgaat ctaagtcact tttagttggt
tgtaattttg taactattat tccaacacct ctttttttac tttttagatt gttttataat
                                                                      1080
agaaatattt taattootaa attaataatg aaagtaaatg taatatgagt cagtacaata
                                                                     1140
                                                                      1200
tgtgaaaaac ttaaaaagtt gacagaattt agcatttgat taaaagtgta tgaagaagaa
gaaaaaagaa gatctttttg tatctataga tttagtgcat aacttttctc agattttcga
                                                                      1260
tatatacaag aatttaacat aagaaaaatc aagacaaatg gacctggtta taatcggtta
                                                                      1320
totgttgtaa atattatatt toatattott otocacttoa taattottat tggagttoot
                                                                      1380
tcaccaaatg tttgatgttc cattaaatta atctaccact ctaataagag gtatcgtact
                                                                      1440
                                                                      1500
acaaattaca cttcataaac aagagaagaa cataaatttg aattttttta aaaaaacata
tgcgttataa caccaaacag taacggacta gctgatcctt gaatttatat tagttgcaaa
                                                                      1560
aatttatata tcgaaattga aacatgaatt tttaaaatta ttagaaaatg tatgatgttg
                                                                      1620
tctaaatgtg acattacaaa tacatgatgt tgtttaaaaa ttattataaa acaaccaaag
                                                                      1680.
tttggcgtca ttctggtaaa cgcacttaat gaatttatat acagttaaag attttaacat
                                                                      1740
caaattttaa aatgacaact taactaaaat ttgtatccta atatttttac tagagaaact
                                                                      1800
cacacatatt tttcaaacaa atgattagtt atatatcctt cgataatagg tattgtgtaa
                                                                      1860
                                                                      1920
aactgtgtgg tttgcacaag tgatccctcg atattctttc tgctaaagat cgacttccca
                                                                      1980
cagtttcgat atctcgggtt tgggtgcaat agcatatgct tgtttagtat gcagataatc
                                                                      2040
gtatgagaga gtcagagaga tcatctattt ttcatgatat ggtctgagct aatcgatcat
ttgttattta tactcgataa cgttctaatt tgtatgattt ttcagccttg atctatcaca
                                                                      2100
aaatggagat aatgaaatgg tagtcataag aaaggtaatg atccccttga catgcttatt
                                                                      2160
                                                                      2220
ataacacaaa aagtaatcgc tactgattag cttaccctat gatttgaatc atataacttt
                                                                      2280
atactaattg tctaagtgtg atgatataat gtatatgatg tcatttataa cttattagta
aaaatataaa gttcttcatc attgtcataa ggagttaatt ggatatacat caaaaaattt
                                                                      2340
cctaaatttt tagaaattat taatcaagtt ataatagaaa ttattaaata aaatatatga
                                                                      2400
tgttttctaa atgtgacgat acaaaataca tgatgttgtt caaaacttat tagacagaaa
                                                                      2460
ccaaagtaca tcatcattgt gatgaagact ttaatggatt tatacatttc aaagttttaa
                                                                      2520
                                                                      2580
acattactta tttaaatgaa aaattgagct aaaatttgta tacttatatg ttgaccatag
```

BNSDOCID: <WO 0018886A1 1 3

aaatacttct atataatttt agacaagttg tctatacata tatatata tatatatata 2640 2700 tatatatatq tatttacaca aaaatcaaqt tttcttaatg taacaatata aaaatataaa 2760 atatctaatg ttgtttaaaa attatttaga ccaaaaaaaa aaaaaactgt aatcaaactt tcattggatt atatctaact ctaaacatga atttttatac aatgacatgt tcaataaaat 2820 2880 toccatttca tagtttgacc agaaaaaatg cttgcagatt tgttaaaatc totacttatg caaaaccatt gaatcacacc agattttgat ttgtagtact ttaaaaaatat taattgaaca 2940 3000 taacacaaat tagtcaattc aaacaatcca ataaaatcaa agtaaaccct taattgtttt 3060 ttttttccat tttacaaaat gttaaacatt aattacatca actagcaaca cgaatctctc 3120 aatototoat gtotoaatga gtotttgaco actagtotto atoactotot otcoctocta 3180 3240 tatataccaa tcacaccctt ctccaaccac actctcattc tctctctt ctcaccactt 3300 caaaacaaga cactcgtaaa agagttcttg aacttcacaa aacaattgtc agattttcaa 3360 tgatctcgtt ttctcactaa accaactcgt ttcttcttac tttctttaac tcggatctac 3420 aaaaaaccat gtcggaaact aacacaaccg atgccaagac tgttccagca gaagcagaga 3480 agaagaaaga acagagttta ccattcttta aactcttttc tttcgctgat aaatttgatt 3540 atctcttaat gttcgttggt tctcttggtg ccattgttca tggctcttcc atgcctgtct 3600 3660 tctttttact ctttggtcaa atggttaatg gatttggtaa aaaccaaatg gatttacatc aaatggttca tgaagtctct agagtaagtc tttttttct ttcttgtttt tatcaaatta 3720 gatccaagat ctgatctaat ttttgtgttt gtgaaatttt gcagtattct ctatatttcg 3780 3840 tctacttggg tttggtcgtt tgcttctctt cttacgcagg tttgtttctt acaaatccaa tcttcttttt ctttattctt caatcaagaa acccagtaat taaatcacat tataaacaag 3900 atcaagaaat tttttgcaca aaaaaaaaag aaaacaagat caagaaatta ataaagttta 3960 4020 gattaaacat ttgcattatt ttctttttt tggttcaacc aattaaccca ttaacataaa ttaaatcaga ttattaggca agaaatctaa aggtgtattt tttgagtttt atttgattct 4080 tcctcaaagt gaccatttac tctgaaggta aaacattttt ttttactcta caacaaaaac 4140 ccaacttctt tttttgtttg cttcaaaatt atattaaaaa aagaaagctt aaactttgtt 4200 4260 taaaatcttg tttttttgt cattcgcttt tgattagaac taaaaaaacc atttttatag 4320 aatgttgttt acataagtga tgtaatgggg ttcggaacga actttccgtg ccaaccgctt ttatagacaa gaaatctaaa ggtgtaattt ttgagttttt atttgattct tccacaaagt 4380 gatcatttac tctggtaaac attttttac tctacaacaa aaacccaact tttttatgtt 4440 tgcttcaata aataaaaacc tagaaacaga aatcacaatc tagagagaat caaaattata 4500 4560 tataaaaaaa aaacacttca aatttttaaa aattttaata tgttaaaagg ataagccaag 4620 tccacqtqat tcatqqacta ctactttqtc tatatcqaaa aaaaaaaaa aatqqqcatc 4680 tctctcacat ttattacaac ttcataaaaa ttcttgtaat aataaccata attttttgtt aaataatttt acagagatag catgttggat gtattctgga gaaagacaag tagcagcatt 4740 aaggaagaaa tatcttgaag cagtattaaa acaagacgtt gggttctttg atactgatgc 4800 tagaactggt gacattgtct ttagtgtttc tactgatact cttcttgttc aagatgccat 4860 tagtgaaaag gtaaccattt tttttttac taccaacaaa atctagtatt taccggcggg 4920 4980 tcccattttt ttcatgatca atctttatca aagttttggg tccgtttatg ttagcaaccg 5040 tcgtttatct tgcgcctcag gtggttaggg aagaaaaaag actatagatt gattttttt 5100 tttgttaaaa taaaagttgg attttttca taagattgtg aaaataagta attttttt acaaatttgc tatagaaata gaggattttt ttcactattt aactaaaact taaatgatat 5160 agtactcatt ttcttacatt tttaatataa aaatagcttc ttttttcca ttgtgaaaaa 5220 5280 tatttattat gcaaaataat gtttctttaa caagtaaaat aaatatttgt tattaaaaaa aatgtgtaaa gtaccttcaa attttaatag tacattttat ctaaaactgt ttttttttt 5340 5400 gcaatttggt cctgtctctg tggtgcacgt tagcaagcac gagctaacat gcactgggtc 5460 ccctagtttc attattatca tcactctttt ttattgttga tgaagtgaat taataacaga gtagttgaaa aaaaattgaa tttctcaggt tggaaacttt atacattacc tctcaacatt 5520 tttggcggga ttagtagttg gatttgtatc agcatggaaa ttagctttgt taagtgttgc 5580 5640 tgtgattccc ggaatcgctt tcgccggagg tttatacgct tatacactca ccggaattac 5700 ttcaaagagc cgtgaatctt atgctaacgc cggtgttatc gccgagcagg taaataaaga 5760 ttaaagtttg ttcctttatt tgttttattt aatgcccacc aactgttcga cgtaatgctt tttaactgtt cttaggcttg cttctttgta cttgatctct caaatgattt tttttttt 5820 tcattgcttc ttatgcaatc caaagactta aacagtgttt tcactaattc aaaatctttg 5880 5940 cttttctttg gtcggttaat gattgatgtt ttggtttctc aggcaattgc tcaagttcga 6000 actgtttatt cttatgttgg agagagtaag gcacttaatg cgtattcgga tgcgattcag tatacgetta ageteggtta taaagegggg atggetaaag ggttgggttt aggatgtaet 6060 tatggaatag cttgtatgtc atgggctttg gtgttttggt atgctggagt ttttattcgg 6120 aatggacaaa ccgatggagg aaaggcgttt actgctatat tctctgctat tgttggtgga 6180 atgtaagaat tcaaaacata acaatgatgt ggttttgtgt attttgtgtt ttgttattac 6240 ttggatgtca ctttttgttt ctgtgtgtgt ttttaggagt ttggggcaat ctttctcgaa 6300

.

200

tcttggggcg	tttagtaaag	gtaaagcggc	tggttataag	ttgatggaga	taattaacca	6360
gagaccgacg	ataattcaag	acccgttgga	tggaaaatgt	ttggatcaag	ttcatgggaa	6420
cattgagttt	aaagatgtga	cttttagcta	tccttcacgg	cctgatgtta	tgatcttcag	6480
gaactttaat	attttcttcc	cttctgggaa	aactgtggcg	gttgttggtg	ggagtggctc	6540
				gatccaaaca		6600
				actggatcat		6660
				ttgagataaa		6720
ttgaagtttt	tocotoaaca	aatcgggctt	gtgaatcaag	aacctgcgct	ctttqccact	6780
actatactag	agaacatact	ctatggaaag	cctgatgcaa	caatggttga	agttgaagct	6840
actactteea	ctgcgaatgc	gcatagtttc	attacattac	ttcctaaagg	ctacgacaca	6900
				tcatggcctt		6960
ttttattaaa	totcaataca	attaggttgg	agaacgtggt	gttcaactct	caddtagaca	7020
ccccgccgaa	attocaatto	ctagggggat	gttgaaagac	ccaaagattc	tottactaga	7080
taaaactaca	accocatetta	atactaactc	tranageatt	gttcaggaag	ctttagacag	7140
agtesteete	agegeeeeeg	ctattattat	tactcatcat	ctctgcacca	tcagaaatgt	7200
testteest	gggaggacca	sucesuaces.	anttattaaa	accggaacac	atgagaact	7260
cyatteccatt	tecatactt	agcaaygcca	catcaccttt	caggaaatgg	ttaatactca	7320
cattyccaaa	naccastana	atgrateges	testtesses	cgtttgagcc	attractoto	7380
agatttetea	aacccgccaa	cucquequae	tttasaast	ctcacctatt	cttacaccac	7440
aacgaaatca	cicagiilaa	gattaggaag	LLLyaggaac	ctgagctatt	cccacagcac	7500
tggagctgat	ggtcggatag	agatgattte	aaatgcagag	actgaccgaa	agacccgcgc	7560 7560
ccctgaaaat	tacttctaca	ggcttctcaa	gcttaattca	ccggaatggc	cttactcaat	7620
catgggagca	gtaggctcaa	ttetttetgg	tttcattggt	cctacatttg	ctattgtgat	7620
gagcaacatg	atcgaagtct	tctactacac	agactatgat	tcaatggaaa	ggaaaacaaa	
agagtatgtc	ttcatctaca	ttggtgctgg	tctctatgct	gtgggtgctt	atttgatcca	7740
acattacttc	tttagcatca	tgggagaaaa	cctcacaaca	agagtaagaa	gaatgatget	7800
ctcaggtatg	tatcaaaatc	tcctgaattt	gcttaaaatc	actttcccat	ttcttattt	7860 7920
				agttggttgg		7920
atgaacacaa	ctcaagcctg	atcgctgcac	gtttagctac	tgatgcagca	gatgttaaat	
ccgctatagc	cgagagaatc	tcagtaattc	tacaaaacat	gacttcactt	ctcacatcct	8040
tcatagtcgc	cttcatagta	gaatggagag	tctcacttct	catcttaggc	acattcccac	8100
ttctagtcct	cgctaacttt	gctcaggtaa	ataatctaat	ctttttactc	aaaatctttc	8160
aatattcatc	aatcattaaa	atataattgg	aatcttgcat	tcaccattat	gatcttaaga	8220
aaaaacgaca	aaaggccaga	tttttataaa	tttatatttg	cttttcaaaa	gttcaaaact	8280
ttatagaaca	tggcaacaca	gccactgcct	ctacacgtgc	ttcatcttct	aactttatcc	8340
aagtttgcat	ttatgtttac	aataataatc	ataaaagaat	tattaagaag	cttttttt	8400
				cctcacatca		8460
				ggcatgtgtg		8520
					aaatagctaa	8580
gattcctctg	tcttttgctt	ctgctaaatc	tatcctactt	taagctttca	tatttacttc	8640
actctctgaa	ctctgaactg	tgatcccact	tctctcttta	tttaattctt	ttgcccataa	8700
aacctcacca	caaaaatcca	aaaaatctgc	aattttttc	cttcttagaa	ccaatattt	8760
atttagagtt	cttcattggt	caaagttgtt	gtctcagtgc	attatttact	tatcacagtg	8820
tgtgtgtcag	tgtttttaca	ccatccacta	gtcaatgttt	gcttgtgggt	ttctttgttt	8880
tggtagatta	ggttgtgatg	agttttttt	ttgtttctaa	ctagctgcaa	ggttcaggac	8940
tctgctttga	tatatcacca	acatttttc	acccgtgatc	taattattag	ttgaaaaatc	9000
tatcaaatag	atttcacaca	gaagaacata	gataggcatt	gtacttgtac	tgatgttgat	9060
gggatagagt	gttgcatatg	tgatttaact	atatggttct	acgtcatgtt	ttagtggcga	9120
cttagacctt	tgattgtcaa	tcttattttt	tacaagtgaa	ctattattac	catctgttgt	9180
tctaaatcat	aagtattaat	atatgtggct	acattgcagc	aactatctct	gaagggtttt.	9240
gctggagaca	cagctaaggc	tcatgcaaag	acttcaatga	ttgctggtga	aggagtcagt	9300
aacattagaa	ccgtagcagc	tttcaatgca	cagagcaaga	ttctctcttt	gttctgtcat	9360
gagettegtg	tacctcagaa	aagaagctta	taccgaagtc	aaacctcggg	tttcctattt	9420
ggcctctcgc	agcttgctct	ctatggttct	gaggctttaa	ttctctggta	tggtgcccac	. 9480
cttgtgagta	aaggcgtgtc	aaccttttcc	aaagtgatca	aagtgtttgt	ggttttggtc	9540
attactocaa	actctattac	tgaaactgtc	agtettgete	ctgaaattat	tcggggaggt	9600
gaagctgttg	gttcggtttt	ctcggtctta	gacaggcaga	ccággattga	cccggatgat	9660
actaatacta	atcccotoga	gacgatccgt	ggagacatto	agtttaggca	tgttgatttc	9720
gcttaccctt	caagacccga	cgtcatggtt	ttcagggact	ttaacctcag	aattcgagct	9780
ggacatagcc	aagctcttgt	gggcgcgagt	gggtcaggga	agagttctgt	aattgcgatg	9840
atcgagcggt	tttacgaccc	tettactaga	aaagtcatga	ttgatggcaa	agacatccgc	9900
cggctaaacc	tgaaatctct	aaggeteaaa	atcggtcttg	ttcaacaaga	accagetete	9960
ttcgcagcaa	cgatcttcga	caacatcocc	tatggtaaag	atggtgcaac	tgaatccgag	10020
	J	,				

gtaattgatg cagetegage egcaaatget caeggtttea teagtggttt acetgaaggt 10080 10140 tacaaaactc cagtaggcga aagaggagtg cagttatcag gtggacagaa acagaggatc 10200 gcgatagcaa gagctgtgct caagaaccct acagtgttgc ttctagacga agcaactagc gcactagatg cagaatcaga atgcgtgctg caagaggcgt tagagaggct catgagaggt 10260 cggaccaccg tggtagttgc tcaccgcttg tccaccataa gaggtgttga ttgcattggt 10320 gtgattcaag acgggcggat tgtggagcaa ggcagccatt cagagctcgt tagccgacca 10380 gagggagctt attcaaggct gttacagctt caaacacata ggatttgaag cttgatcatg 10440 10500 gattaaaaac aaaaaatcgg tttgtgtaat tttttttata ttaaaacttt aatttggaag 10560 atttctatgg actataacga taatatgaat aggtgtagat aatgaagctt ttggagtgtt tatgaaggtt ctttaattaa gggttatttt tttcgcattt tgcttatgtg cccgttttgg 10620 10680 atcactctaa tactttggtt gatcaaaatt tccctaaaac atttggttca tgactagaat 10740 10800 tgatcggaca tgttctttta ggggtttgat ctcgcatggt ctaatcaggt tatgtggtct tacagcgact taatcaattt agaccggcta tcaaaattag attcagccta aacagcaaaa 10860 ttgtcttata taatatccta aatcacagac cggatttttt ttttttataa actctatcgg 10920 10980 ctgatccggt caaccccggt agaaacgcac tgaagtgttt catagtggac ttcaaaccga aattttgcag aaattgagat gagaatgagc tctacctcgc attgacatgt tatttcgttc 11040 ttgagatctt aagtaatttt ttgagatctt aagtaatttt ttggtattca agttccttat 11100 ttttttgcgg ttactcgtct tgacatgtta tttcgttctt gtgctactta cataccacaa 11160 11220 tatatgtagg tttctaaaca tatataatag gaatgttgtt ctatatatgt gttgtttgat acgtaaagag taatctggtt ctacgtagag tctatctctt gtttcttggt gagattttga 11280 ctggactgca tggtaatcct cgcgcatggt gtttagttac cggttgcttc attcatttgg 11340 ccacgctcaa attttctaga agactcttcg gtctttggta caaaggcctc cgatttttcc 11400 11460 atgacaagtt cattcatatt tttttgtgac aacttgattg ttgttcattt ccgaatattc catgaacgta tcaaactcaa taaaatcgat tgttgtcact ccctttaaga tgagatcctc 11520 aacggcagct tcaccactag ccatgttttc acacatgatc aactatctca catttttact 11580 aaggotttaa goaggaatat tacttotaga attttaacaa totagaattt otagaggaaa 11640 tgttcacatg tatatatttt ggtatatgat ctagagaact tatataagat tatcaatgtt 117.00 taatatactc aacaaatggg ttcttctatt ttatcttcta attgttgggg ccttgaatta 11760 11820 tttagttctt tttcactatt ccttttcttt tatttggtgt gtggagccat aaagttccaa taatttotat gaaaagaaat gaataaaato taaagaaaco aactgtgaag ctotttaato 11880 ttattctatc tgttggatct gtttgccttt atttgctttg catgtggttt tgctgtttaa 11940 gataaaggcc atatcttctc ctaattcttt ttccaaatca acacatcaaa tatataaaag 12000 actccaaata ttttgaatag aatcataatt tatttaatta caaaaaaact taaagaattc 12060 12120 aagacctgcg atcacaagac aaatacatgt aaggaattaa atatttaaga taccaaccgc taataaataa gactcacaat ttctaaaaat taaaacgaaa aaaagaaaaa attagtcatc 12180 attgcatatc ttagtgaaca aaaatcaata agaaaaggat aatatacttt ttaccaacat 12240 cacataaacc taaaagcatc tcacaccaaa agtaaattaa aaactcagaa aaagctgaat 12300 acaagttatg aattttatgg aaagtgttag tgtgttagtg ttgttatcat tacaacttta 12360 12420 aaataattat gaacatgaaa aaatagattg aacatgaagc agcattggga aggactcgaa 12480 tgtccctact catactgaca aaacctcaag tgttccagtg cgttaggttt cactttccag 12540 tagtatgtgt atctgctttt tttgtatata ttaatgtaat agatagtgta gagaatcatg aggaacattt tgtaatcata gaactaaggc ataattttga tcgtgtgaaa taatactatt 12600 atttttggta acaaggatga tctggaccga attccgacta attttccagg tgaatatagt 12660 12720 catcaagtaa cttgatcacc ggattttaaa aatgaattat gaacatgata tcatttcaac 12780 taatcaaata aaaatgaaaa aattcatgtg ggaatcatat ccctcaaatc tgttaccacc 12840 aaactacttt catttggttt gtgtgagaaa tataagaatt atcaaacaaa gaaaaaggtt 12900 ttgcttaatt ataatgatat gaggttcatc aaatttatat accactaaaa tattcctaca 12960 ctcatccaaa tattattctc gcttatgcag ttttaatcta atgtacaaat catatccata agcgcattgg ccgatgctaa aattttggca ttagttgttg atttgtttt cttgagtcct 13020 atgttcaaaa aatatatttg ataatttaat gtataaatta tacccataat cacattgatc 13080 13140 aatgcttaaa gttttgtatt agttgttgat tttttgtttg tttgcgtgtg ttgaattttc ataaatgaaa agtaaatacg ataatcatat ttcaaaacgt aaaggtgtta attagtagtc 13200 13260 taaatggtaa aatataaaca gtatattata aaaattacta aaatggtttt gtaaaaaaaa 13320 tatgctattt gtattataat gaaattcaaa aattttaaat agaacgtata atttctgcac aaagaggttt tgaggtgtta taattcatga agtaaatttt atttactgac gggtaagttg 13380 tgaaaaagtt tgaagactat tttttttgct tttcacagag aaaactactt tcctttttaa 13440 ttgtatgatg agaaggcaaa agtgcagaca tgtgctttct tttctcccat tttcaacaat 13500 13560 gtcactcgtt gtattattca tattttagca aactggttat atctatatct atcaatcatt 13620 tcagaacatc atatccatca gtttttggac attgctacat acgttagtat tgatgtacca gttaccctaa caggettttg catagtgtgg cagaacacgt gaggtgtgat atatgcggat 13680 gaattotatg ttotgoattt tgttaccatt catataaaag tattgtttta gttgtgctgc 13740

ggtttaagtc ctaatacaga tttatttgta aaactctaag agaatataag atcaatgtgt	gtgttatgtt tataaaccac attggaaccc aattaataaa ttttatagtc attcggataa	13800
aacttagaaa gataacaaaa gtaagaacga	gtattttaa gcgaatactc tttagatatt	13920
ctttgtattg atcattattg acaaaccatt	aaacattttt gtagacccta aaatccgata	13980
tccaaaaac aattcttatt		14000
	•	
	\$	
<210> 11		
<211> 29	+ 1 a - +	
<212> DNA	e de la companya de	
<pre><213> Arabidopsis thaliana</pre>		
<400> 11		
cactgetcaa tgatetegtt ttetcacta	• •	29
<210> 12	•	
<211> 30		
<212> DNA		
<213> Arabidopsis thaliana	A CONTROL OF SECURITION OF SEC	
•		
<400> 12		
cttgaatcac accaatgcaa tcaacacctc		30
•	· ·	
<210> 13		
<211> 29		
<212> DNA		
<213> Artificial Sequence	, and the second se	
•		
<220>		
<223> PCR primer		
•		
<400> 13		
cattttataa taacgctgcg gacatctac		29
•		
<210> 14		
<211> 29		•
<212> DNA		
<213> Artificial Sequence		
<220>	· · · · · · · · · · · · · · · · · · ·	
<223> PCR primer	•	
	•	
<400> 14		~~
thickers the early traterity	•	29

International application No.
PCT/US99/22363

A. CLA	SSIFICATION OF SUBJECT MATTER		·
١,,,	Please See Extra Sheet.		
	:Please See Extra Sheet. o International Patent Classification (IPC) or to both :	national classification and IPC	
	DS SEARCHED		
Minimum d	ocumentation scarched (classification system followed	by classification symbols)	
U.S. :	800/278, 294, 300; 435/69.1, 71.2, 468, 419, 252.3; 3	20.1; 536/23.6, 24.1	
Documentat	ion searched other than minimum documentation to the	extent that such documents are included	in the fields scarched
	·		•
Electronic d	ata base consulted during the international search (sa	me of data base and, where practicable	, search terms used)
Picase Sc	e Extra Sheet.		
C. DOC	UMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
			04.00.00
X	DUDLER ET AL. Structure of an moderate thaliana. The Journal of Biological Cl		24, 29-30
Y	267. No. 9, pages 5882-5888, see page		1-6
*	207, 110. 7, pages 3002 3000, see pag		
Y	CHO et al. An Anion Channel in Arab		1-2
	by Blue Light. Proc. Natl. Acad. Sci	. USA. July 1996, Vol. 93,	
	pages 8134-8138, see page 8134.		
x	EMYR DAVIES et al. Cloning and C	haracterization of a Novel P-	24, 29-30
	Glycoprotein Homologue from Barley		
Y	pages 195-202, see whole document.	·	1-6
	·		. •
		•	
		•	
X Furth	er documents are listed in the continuation of Box C	. See patent family annex.	t
1 -	ocial categories of cited documents:	"T" later document published after the int dute and not in conflict with the app	
	cument defining the general state of the art which is not considered be of particular relevance	the principle or theory underlying th	e invention
1	riser document published on or after the interestional filing date	"X" document of particular relevance; the considered novel or carnet be considered.	
ci	comment which may throw doubts on priority claim(s) or which is sed to establish the publication date of another citation or other	when the document is taken alone "Y" document of particular relevance; the	ne chined invention counce he
1	ecial reason (as specified) cussent referring to an oral disolosure, use, exhibition or other	ognidated to involve an inventive combined with one or more other suc	s step when the document is th documents, such combination
1	eans • comment published prior to the international filing date but later than,	being obvious to a person skilled in *A.* document member of the same pater	
<u> </u>	e priority date claimed	Date of mailing of the international se	
Date of the	actual completion of the international search	//\	
	MBER 1999	$\frac{1}{\sqrt{2}}$	2000
Name and Commission Box PCT	mailing address of the ISA/US mor of Patents and Trademarks	Authorized officer	Clin lan -
Washingto	m, D.C. 20231	1	The state of the s
Facsimile 1	No. (703) 305-3230	Telephon No. (703) 308-0196	! //

International application No. PCT/US99/22363

		I		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No		
K,P	SIDLER et al. Involvement of an ABC Transporter in a Developmental Pathway Regulating Hypocotyl Cell Elongation in	24, 28-31		
/,P	the Light. The Plant Cell. October 1998, Vol. 10, pages 1623-1636, see pages 1623 and 1629-1634.	1-6, 9-23		
?	TOMMASINI et al. Differential Expression of Genes Coding for ABC Transporters after Treatment of Arabidopsis thaliana with Xenobiotics. FEBS Letters. May 1997, Vol. 411, pages 206-210, see page 206.	1-6, 24		
	US 5,786, 162 A (CORBISIER et al) 28 July 1998, see whole document.	1-6, 9-24, 28-31		
\	US 5,073,677 A (HELMER et al) 17 December 1991, see whole document.	1-6, 9-24, 28-31		
		·		
•				
	•			

International application No. PCT/US99/22363

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. Claims Nos.; because they relate to subject matter not required to be searched by this Authority, namely:
2. Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
Please Soo Extra Sheet.
÷
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. X No required additional search fees were timely paid by the applicant. Consequently, this international scarch report is
4. X No required additional search fees were timely paid by the applicant. Coasequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-6, 9-24, 28-31
Remark on Protest
No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet(1))(July 1992)*

BNSDOCID: <WO____0018886A1_I_>

International application No. PCT/US99/22363

A. CLASSIFICATION OF SUBJECT MATTER: IPC (6):

C12N 5/04, 15/00, 15/09, 15/11, 15/29, 15/63, 15/74, 15/81, 15/82; A01H 5/00

A. CLASSIFICATION OF SUBJECT MATTER:

US CL :

800/278, 294, 300; 435/69.1, 71.2, 468, 419, 252.3, 320.1; 536/23.6, 24.1

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

DIALOG, WEST1.2a

SEARCH TERMS: MDR-LIKE GENES, P-GLYCOPROTEIN GENES, ARABIDOPSIS, NPPB, XENOBIOTIC, RESISTANT PLANTS. ABC TRANSPORTER, APPGPI EXPRESSION, TRANSGENIC PLANT

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION WAS LACKING This ISA found multiple inventions as follows:

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claim(s)1-6, 9-24, 28-31, drawn to an isolated nucleic acid in a recombinant expression cassette, a vector comprising it, a transgenic plant, and a method for producing a plant with enhanced resistance to xenobiotic compounds. Group II, claim(s) 7-8, 25-26, 32-38, drawn to an isolated protein and antibodies for the protein.

Group III, claim(s) 27, drawn to an oligonucleotide.

Group IV, claim(s) 39-40, drawn to P-glycoprotein gene promoter.

Group V, claim(s) 41-45, drawn to a plant with mutated pIPAC gene and a method of making it.

The inventions listed as Groups I-V do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The claimed isolated nucleic acid molecules and transformed cells are anticipated by each of Dudler et al, Emyr Davis et al, and Sidler et al, as set forth in the Search Report, and so do not constitute a single special technical feature which would be an advance over the prior art.

The invention of Group I, drawn to a first product and process of use, requires an isolated nucleic acid encoding P-glycoprotein, a vector, host cells, and a method for plant transformation and regeneration not required by any other group.

The invention of Group II, drawn to a second product, requires an isolated polypeptide and antibodies for the polypeptide not required by any other group.

The invention of Group III, drawn to a third product, requires an oligonucleotide and a hybridization technique not required by any other group.

The invention of Group IV, drawn to a fourth product, requires a specific gene promoter not required by any other group.

The invention of Group V, drawn to a fifth product and method of use, requires a plant with mutated pIPAC gene and a method of making it not required by any other group.

Form PCT/ISA/210 (extra sheet)(July 1992)*